



nemco FOOD EQUIPMENT

Fresh-O-Matic by Nemco 58

	Super Shot Countertop Steamer
Food Preparation Equipment	Induction Equipment
CanPRO® Compact Can Opener	Drop-In Warmers
Easy Cheese Blocker™	Drop-In Ranges
Easy Cheeser™26	Portable Ranges
NEW! Easy Chicken Slicer™27	Food Manchardinian Facilities
Easy Chopper™13	Food Merchandising Equipment
Easy Chopper 2 [™]	S Closed Hot-Food Merchandiser
Easy Chopper 3 [™]	Countertop Humidified Merchandiser71
Easy Dicer Two-Way Vegetable Cutter23	Grab 'n Go Merchandiser
Easy Flowering Onion™ Cutter	Heat Shelves
Easy FryKutter™19	Heated Display Cases
Easy Juicer™28	S Heated Food Merchandisers72
Easy LettuceKutter™21	Heated Snack Merchandiser72
Easy Onion Slicer 2 [™]	S Hot Fudge Dispenser79
Easy Pineapple Corer & Peeler28	Hot Holding Cabinets75
Easy Scooper™9	Humidified Merchandiser71
Easy Slicer™ Vegetable Slicer7	S Nacho Cheese Dispenser79
Easy Tomato Slicer™	S Open Hot-Food Merchandisers73
Easy Tomato Slicer 2 [™] 9	Open-View Merchandisers
Easy Tuna Press™28	Pizza Merchandisers
Easy Vegetable Noodler	S Popcorn Packs
Easy Wedger™ & Easy Apple Corer™23	Popcorn Popper77
NEW! Egg Slicer25	S Popcorn Poppers
Food-Grade Equipment Lubricant	S Popper Carts
Green Onion Slicer Plus	Pretzel Merchandisers
Monster Airmatic FryKutter™	Shelf Merchandisers
Mew! Monster FryKutter™19	Sno-Kone Machine
	Soup Merchandisers80
ProShucker® Power Shell Separator™	Cold Food Holding
Roma Tomato Slicer	Cold Condiment Chillers
ShrimpPro 2000® Power Shrimp Cutter & Deveiner™	Cold Condiment Station
ShrimpPrep® RC-2001 Shrimp Cutter & Deveiner™	Condiment Bars & Stations
Spiral Fry™ Potato Cutter	
Food Processing Equipment	Conveyor Toasters
NEW! Combi Cutter	2-Slice Toaster
Multi-Function Vegetable Prep Machine33	3-Slice Toaster
Vertical Cutter/Blender34	Food Dispensing Equipment
Het Den Environent	
3	NEW! High-Volume Press-O-Matic
DUIL & FOOD Walliers	Plastic Countertop Dispensers
Digital notice diffis	VEW Portion Pump
Hot Dog Steamers44	Stanness-Steel Countertop & Drop-III Dispensers
Mini Cart44	Waffle & Cone Bakers
Moist Heat Bun & Food Warmers	Batter Dispenser
Roller Grills	Belgian Waffle Bakers
Roller Grill Accessories44	Cone Bakers
Roller Grill with Integrated Bun Drawer	Waffle Bakers
Roller Grills with Digital Temperature Readout	Traino Bakolori
Roller Grill Divider Kits	Countertop Ovens & Boiling Unit
Self-Serve and Canopy Sneeze Guards	Countertop Boiling Unit96
Slanted Roller Grills	Countertop Ovens
Stainless Steel Bun Boxes	Countertop Pizza Ovens96
Tongs with Holder	Countertop Warming & Baking Oven
Sandwich Press	Convection Ovens
PaniniPro™ High-Speed Sandwich Press	S Convection Oven
	S Multipurpose Ovens98
Food Warming Equipment	Kitchen Essentials
Carving Station Bulb Warmers51	
Countertop Cookers & Warmers	Butter Spreader
Countertop Warmers56	Easy Grill Scraper™
Freestanding & Suspended Infrared Bulb Warmers 50–51	Ice Cream Spade Wells100

Mini Steam Table59



Innovation comes in many forms

At Nemco, our commitment to meeting customer needs is a driving force that can lead us just about anywhere—literally. Over the years, these pursuits have led to the development of our own dedicated international sourcing team.

To date, Global Solutions has integrated into our lineup a number of high-quality countertop ovens and food merchandisers built by some of the most established food-equipment OEMs from around the world. Plus, it's also led to the introduction of our Journeyman™ line of economy food-prep equipment (to the right).

G	2	lourne	/man™	Food	Pren	Faui	nment	Line
u	ט כ	JUUI IIG	/IIIaII	ı uuu	LICH	Lyui	DIIIGIIL	LIIIC

	Can Opener	
G	Cheese Cutter 1	03
\$	Chopper 1	02
G	Grill Scraper	03
G	Lettuce Chopper	02
G	Onion Slicer	02
G	Rotary Slicer 1	02
G	Tomato Slicer	02
G	Wall-Mount Chopper	02
G	Wedge Cutter	03



Whenever you see the GS logo in this product catalog, you'll know that the product it tags is the result of our unique sourcing expertise and a new example of Nemco innovation at work.



what's NEW!







Soup Merchandiser p.80





prep

easy slicer vegetable slicer



Easy Slicer™ Vegetable Slicer

Easy Slicer is the one slicer you need to make fast, easy work of most fruits and vegetables. Its unique, adjustable, stainless-steel blade provides a full range of slicing options—from \$^{1}_{16}\$-inch to \$^{1}_{2}\$-inch in thickness—for extra versatility and convenience. Simply turn the thumbscrew control to lock in your setting on the easy-to-read calibrated gauge. Use with the Nemco mounting base (sold separately) for a secure workstation, plus easy removal for cleaning and storage. Fixed blade units also available. Optional shredding plates fit all units.

Model #	Description	Replacement Blades
55200AN	Adjustable Cut	55135 (set of 2)
55200AN-B	w/Portable Base	55135 (set of 2)
55200AN-4	1/8 " Fixed Cut	55135 (set of 2)
55200AN-6	3/16" Fixed Cut	55135 (set of 2)
55200AN-8	1/4" Fixed Cut	55135 (set of 2)
55200AN-1	3/16" Shredder	55178
55200AN-2	5/16" Shredder	55179

Optional Accessories

Model #	Description
55257	Sharpening Stone
55263-1	3/16" Shredding Plates
55263-2	5/16" Shredding Plates
55816	Portable Base





Loading the Easy Slicer is a cinch. Just place your produce in the trough behind the blade, close the cover plate and go.



The sharpness and ease of rotation of the blade makes slicing a breeze, for super-fast, precisely consistent yield.

suggested uses

The perfect answer for uniform slicing of fresh vegetables and fruits for salad bars, sandwiches, pizza toppings and more.



Optional Shredding Plates—Shredding plates attach to the Easy Slicer in seconds for quick, easy shredding of cabbage, cheese, carrots, potatoes and other fruits and vegetables. Or choose the Easy Shredder, our shredding-only model.



Portable Cutting Board Base—Maximize your counterspace with Nemco's portable, food-prep base, equipped with a mounting bracket that fits the Easy Slicer and a number of other Nemco food-prep products. The suction-cup feet provide incredible stability without damaging your countertop, and the entire unit is dishwasher safe.



easy tomato slicer 2




Innovation being the hallmark of Nemco, even the most popular food equipment is never immune to design improvements. Nemco's Easy Tomato Slicer™ has been a breakthrough in fast, uniform tomato slicing, and has become a mainstay in commercial kitchens everywhere.

However, Nemco saw a need in the market for a simpler model that could deliver the same slicing precision, but with a faster, easier method for changing the blades—particularly in the hands of younger, less experienced employees.

The result? Nemco's next generation, Easy Tomato Slicer 2[™]. And now, with a new, factory-pretensioned cartridge blade set, the 2 is winning over as many fans as its predecessor.





Easy Tomato Slicer 2™

Compact, efficient, easy to use and even easier to maintain, the new Easy Tomato Slicer 2 with its pretensioned cartridge blade assembly is more convenient than ever. The newly designed blade set stays properly aligned and tightened without the need to adjust it. The Easy Tomato Slicer 2 has an ergonomic handle, hand guards, self-lubricating track, rubber feet and a table stop like its predecessor, the Easy Tomato Slicer, a staple in foodservice kitchens. Accommodates a larger tomato than the original Easy Tomato Slicer. Scalloped blade options available.

Model #	Description	Replacement Blades
56600-1	3/16" Slice	566-1 (14 blades)
56600-2	1/4" Slice	566-2 (11 blades)
56600-3	3/8" Slice	566-3 (7 blades)

Note: See price list for scalloped blade ordering information.



Easy Tomato Slicer™

Save time, labor and valuable work space with the original Easy Tomato Slicer—still an immensely popular item for its incredibly compact design that is even shorter and narrower than the 2 model. Its unique self-lubricating track material alleviates misalignment problems that can cause nicks and broken blades. Vertical handle and protective guards improve user comfort and safety. Cleans up quickly and easily. Scalloped blade options available.

Model #	Description	Replacement Blades
55600-1	3/16" Slice	466-1 (13 blades)
55600-2	1/4" Slice	466-2 (10 blades)
55600-3	3/8" Slice	466-3 (7 blades)
55600-7	7/32" Slice	466-7 (11 blades)
55874-2	Easy Scooper™ Stem Remover, 2-p	pack

Note: See price list for scalloped blade ordering information.



Roma Tomato Slicer

Need perfectly sliced Roma tomatoes super-fast? No problem. The Roma Tomato Slicer is designed to fit the unconventionally oblong roma tomato. It incorporates super-sharp, stainless-steel scalloped blades to pierce the tomato skin first, on the way to finishing a smooth, clean slice. The blades are pretensioned inside a cartridge blade assembly, to maintain precise spacing that ensures a consistently uniform slice and prolongs blade life. For cleaning or timely replacement, the blade assembly is easily removed with the simple pull of two pins.

Model #	Description	Replacement Blades
56610-1	3/16" Slice	567-1 (15 blades)
56610-2	1/4" Slice	567-2 (11 blades)



suggested uses

This is a must-have if you like to keep fresh tomatoes on hand for your burgers, sandwiches, salads, salad bars and condiment trays. It's great for slicing strawberries and mushrooms too.



Blade Assemblies



Easy Scooper™—The essential tomato-prep tool. Removes stems with just one motion!



easy chopper 3


A Dream in Color

As if the Easy Chopper wasn't already saving kitchens time and money, along comes the 2, giving operators even more labor-cutting versatility (see page 13).

And, yet, in traditional Nemco style, the innovation just keeps coming.

Introducing—yes, that's right the Easy Chopper 3, equipped with a spectrum of game-changing enhancements that further simplify the chopping chore.

Now, with color-coded blade assemblies and push blocks that make changeout super simple, a tougher nylon-resin push block that prolongs performance life and a revolutionary push-block gasket that takes all the tediousness out of cleaning, the Chopper 3 moves food prep from daunting to dreamy.



works with:



Easy Chopper 3™

Chopping just got faster and easier, yet again. And it all starts with the push block. In addition to being color-coded per the cut size of the corresponding blade-set—thus making destructive mismatches near impossible—each push block also features an intriguing 'gasket' innovation that makes cleaning as simple as pulling a tab. Like its Chopper 2 predecessor, the 3 includes a 41/4" cutting area for large vegetables, as well as a pretensioned slicing blade-cartridge design, aluminum and stainless-steel construction, and a sturdy, wide base, now high enough to sprawl a 1/6- or 1/3-size six-inch-deep food pan, or a two-quart round pan.

Model #	Description	Blade/Holder Assembly	Replacement Blades
57500-1	1/4"-Sq. Cut, Red	57424-1 (26 blades)	536-1
57500-2	3/8"-Sq. Cut, Blue	57424-2 (18 blades)	536-2
57500-3	¹ / ₂ "-Sq. Cut, Green	57424-3 (12 blades)	536-3
57500-4	1"-Sq. Cut, Black	57424-4 (8 blades)	536-4
57500-5	1/4"-Thick Slice, Red	57424-5 (13 blades)	_
57500-6	3/8"-Thick Slice, Blue	57424-6 (9 blades)	_
57500-7	1/2"-Thick Slice, Green	57424-7 (6 blades)	_

Optional Accessories

Uptional Ac	cessories
Model #	Description
57417-1	Push Block, 1/4" Red
57418-2	Push Block, 3/8" Blue
57417-3	Push Block, 1/2" Green
57418-4	Push Block, 1" Black
56275-1	Cleaning Gasket, 1/4" Red, 3-pk
56275-2	Cleaning Gasket, 3/8" Blue, 3-pk
56275-3	Cleaning Gasket, 1/2" Green, 3-pk
56275-4	Cleaning Gasket, 1" Black, 3-pk
57727-4W	4-Section Wedger Kit
57727-6W	6-Section Wedger Kit
57727-8W	8-Section Wedger Kit
57424-1-PBG	1/4"-Cut Conversion Kit
57424-2-PBG	³ / ₈ "-Cut Conversion Kit
57424-3-PBG	1/2"-Cut Conversion Kit
57424-4-PBG	1"-Cut Conversion Kit
57424-5-PBG	1/4"-Slice Conversion Kit
57424-6-PBG	³ / ₈ "-Slice Conversion Kit
57424-7-PBG	1/2"-Slice Conversion Kit



suggested uses

The Easy Chopper 3 is the all-in-one heavy hitter for fast chopping, slicing and wedging of onions, tomatoes, potatoes, celery, peppers and other firm veggies. It's even the go-to for cutting fresh herbs, like cilantro, basil, parsley and more. It also cuts cooked chicken and ham! This reliable versatility, combined with its user-friendly fringe benefits, makes it the perfect tool for any high-speed kitchen.



Nemco's innovative push-block gaskets make cleaning a cinch. Just pull the gasket tabs to remove and clear away all the block's food debris in one simple motion.





Tall, sprawling base allows chopped produce to fall straight into a 1/6- or 1/3-size six-inchdeep food pan, or a two-quart round pan



easy chopper



Chop Chop!

When high-volume foodservice establishments wrestling with high employee turnover needed a smarter, safer way to produce mounds of chopped produce in rapid-fire fashion, they naturally turned to Nemco.

Replace a knife with a blade grid and a gravity-driven pusher, and the resulting Easy Chopper has since become a staple item in kitchens all across the foodservice world.

In fact, it's been so effective, it remains a top seller in the entire Nemco lineup and a brilliant design-wise predecessor to the even more feature-evolved Easy Choppers 2 and 3.



Easy Chopper™

Easy Chopper is the original, most effective answer for fast, easy, efficient chopping. Comfortable, weighted handle does most of the work for you to cut cleanly in one stroke. Super-sharp, stainless-steel, interchangeable cutting grids let you perform six operations, including wedging. Plus, the compact 3½"-square cutting area maximizes counterspace.

Model #	Description	Blade/Holder Assembly	Replacement Blades
55500-1	1/4" Cut	55424-1 (22 blades)	436-1 (22 blades, unassembled)
55500-2	3/8" Cut	55424-2 (16 blades)	436-2 (16 blades, unassembled)
55500-3	1/2" Cut	55424-3 (10 blades)	436-3 (10 blades, unassembled)
55500-4	1" Cut	55424-4 (4 blades)	436-4 (4 blades, unassembled)

Optional Accessories

Model #	Description
55417	Push Block, 1/4" & 1/2"
55418	Push Block, 3/8
55727-4	4-Section Wedger Kit
55727-6	6-Section Wedger Kit
55727-8	8-Section Wedger Kit



Easy Chopper 2™

Get the speed, efficiency and convenience of the Easy Chopper in a mightier model with a 41/4"-square cutting area, designed specifically for your BIG veggies! Now you can save labor by minimizing the need to precut foods into smaller portions. But don't let the name fool you. This versatile tool chops, slices AND wedges! And, like the original version, it still features the weighted ergonomic handle. Plus, the slicing blades are factory pretensioned to remain properly aligned and tightened with no need for adjustment.

Model #	Description	Blade/Holder Assembly	Replacement Blades
56500-1	1/4"-Sq. Cut	56424-1 (26 blades)	536-1 (26 blades, unassembled)
56500-2	³/8"-Sq. Cut	56424-2 (18 blades)	536-2 (18 blades, unassembled)
56500-3	1/2"-Sq. Cut	56424-3 (12 blades)	536-3 (12 blades, unassembled)
56500-4	1"-Sq. Cut	56424-4 (8 blades)	536-4 (8 blades, unassembled)
56500-5	1/4"-Thick Slice	56424-5 (13 blades)	- 1
56500-6	3/8"-Thick Slice	56424-6 (9 blades)	_

1/2"-Thick Slice 56424-7 (6 blades)

Optional Accessories



56500-7

suggested uses

Use for fast, easy chopping, cutting and dicing of onions, tomatoes, potatoes, celery, peppers and other firm vegetables. Great for wedging citrus and other fruits, using the wedger kit.



Blade Assemblies

suggested uses

For salsa, pizza toppings, drink garnishes and more. Chops, slices and dices onions, tomatoes, potatoes, celery, peppers and other firm veggies. Great for wedging citrus and other fruits too, when using the wedger kit.





Pretensioned Slicing Blade Assemblies



Chopping/Wedging Blade Assemblies

spiral fry potato cutter





Spiral Fry™ Potato Cutter

Easily turns potatoes into money! Simply load up to a 70-ct. potato, and turn the easy-action drive screw. No peeling is required, and it easily releases for fast reloading. Mounts securely on any flat surface for left- or right-handed operation. Removes easily for quick cleanup. Fine Cut Garnish Cutter makes attractive vegetable garnishes quickly and easily. The Ribbon Fry Cutter makes a great side for sandwiches.

Model #	Description	Replacement Blades
55050AN	Spiral Fry ½" x ½"	55002 Separating Blade
55017	Front Plate Assembly	55003 Shearing Blade
55050AN-R	Ribbon Fry ½16"	55492 Shearing Blade
55876	Front Plate Assembly	—
55050AN-G	Fine Cut Garnish ⁵ / ₆₄ "	55492 Shearing Blade
55711	Front Plate Assembly	55702 Separating Blade
55050AN-WR	Wavy Ribbon Fry ¹/16"	55492-WR Shearing Blade
55876-WR	Front Plate Assembly	—
55050AN-CT	Chip Twister Fry 1/16" (Straight)	55492-CT Shearing Blade
55876-CT	Front Plate Assembly	—
55050AN-WCT	Chip Twister Fry 1/16" (Wavy)	55492-WR Shearing Blade
55876-WCT	Front Plate Assembly	—
55816	Portable Base	—

suggested uses

Hot and crispy spiral, ribbon, wavy or chip twister fries make a savory, healthful, high-value presentation that customers love. Spiral Fry affords you the highest profit on every serving and pays for itself in no time. It's perfect for creating signature-item appetizers and is a great choice for the bar and lounge too.



Chip Twister Fry

Spiral Fry



PowerKut Food Cutter

(NSF)

For mounds and mounds of today's most appetizing fries and garnishes, ask for the PowerKut Spiral Fry™, Ribbon Fry™, Wavy Fry™, Chip Twister Fry or Fine Cut Garnish Cutter. Each cuts with the innovation of the original Spiral Fry, but much faster and easier—going through an entire potato in as little as two seconds. Operation is simple—load, apply steady, even pressure and move the carriage forward. Wipes clean. Holds a 60-ct. potato.

Model 55816

Model #	Description	Replacement Blades
55150C-C	Spiral Fry 1/4" x 1/4"	55002 Separating Blade
55707-1-C	Spiral Fry Face Plate	55003 Shearing Blade
55150C-R	Ribbon Fry 1/16"	55492 Shearing Blade
55707-1-R	Ribbon Fry Face Plate	—
55150C-G	Fine Cut Garnish ⁵ / ₆₄ "	55492 Shearing Blade
55707-1-G	Garnish Cut Face Plate	55702 Blade
55150C-WR	Wavy Ribbon Fry 1/16"	55492-WR Shearing Blade
55707-1-WR	Wavy Ribbon Fry Face Plate	—
55150C-CT (Straight)	Chip Twister Fry 1/16"	55492-CT Shearing Blade
55707-1-CT (Straight)	Chip Twister Fry Face Plate	—
55150C-WCT (Wavy) 55707-1-WCT (Wavy) 55816-2	Chip Twister Fry 1/16" Chip Twister Fry Face Plate Portable Base	55492-WR Shearing Blade ————————————————————————————————————

220-Volt and 230-Volt CE models are also available. Call for details.







Note: Blade assemblies are interchangeable and available separately. See price list for model numbers. Replacement blades fit both models.









easy vegetable noodler





Easy Vegetable Noodler

Easily turn zucchini, squash or a variety of other firm veggies into piles of amazingly delicious, low-carb "spaghetti" noodles. Just load your choice veggie on the drive plate, turn the handle and go! Durable aluminum construction, with minimalist engineering that virtually eliminates maintenance issues, ensures lasting performance and fast ROI. Mounts securely to your countertop, while a twist of a few wing nuts simplifies disassembly for thorough cleaning. The only NSF-approved, commercial-grade device of its kind!

Model #	Description	Replacement Blades
55050AN-P	Vegetable Noodler, Manual ⁹ / ₆₄ "	55702-1 Separating Blade 55003 Shearing Blade
55150C-P*	Vegetable Noodler, PowerKut ⁹ /64"	55702-1 Separating Blade 55003 Shearing Blade

Optional Accessories

Model # Description

55816 Manual Portable Base — 55816-2 PowerKut Portable Base —









suggested uses

The Easy Vegetable Noodler is the must-have device for grocery deli counters, health-menu restaurants and other retail establishments looking to capitalize on the increasing demand for low-carb, gluten-free pasta alternatives. Makes spaghetti-like noodles out of zucchini, squash, potatoes, daikon, carrots and cucumbers.



Model 55150C-P

Even Easier!—For faster, easier production of zucchini noodles, Nemco also offers the electrically powered PowerKut Vegetable Noodler.





easy frykutter vegetable cutter

Getting a Handle on the Hot Potato

The foodservice industry would be hard pressed to find a menu item more popular—or more stubborn to cut—than the French fry potato.

So, when Nemco looked into developing a fry cutter, the food-

prep challenge of actually muscling a blade through a potato weighed heavily in the process.

Out of this emerged the appropriately named Easy FryKutter[™], built with a number of user-driven features, such as the industry's only ergonomically designed "D" handle that reduces fatigue and increases productivity.







Easy FryKutter™

Easy FryKutter uses an exclusive short throw handle and superior engineering to improve leverage for smooth, easy cutting or wedging in just one stroke. Works with natural body motion to eliminate awkward stretching and reduce operator fatigue. Built to last under the toughest day-to-day conditions. Slide-in, slide-out wall bracket fits the same mounting holes as most other machines.

Model #	Description	Blade/Holder Assembly	Replacement Blades
55450-1	1/4" Cut	55424-1	436-1 (set of 22)
55450-2	3/8" Cut	55424-2	436-2 (set of 16)
55450-3	1/2" Cut	55424-3	436-3 (set of 10)
55450-4	4-Section Wedge	_	428-4
55450-6	6-Section Wedge	_	428-6
55450-8	8-Section Wedge	_	428-8

Optional Accessories

Model #	Description
55641	Wall Bracket
55727-4	4-Section Wedger Kit
55727-6	6-Section Wedger Kit
55727-8	8-Section Wedger Kit

Wall Bracket

suggested uses

Cut potatoes for French fries and cut carrots and celery sticks. Chop onions, peppers, carrots and tomatoes. Wedge tomatoes for salads and potatoes for steak fries using the wedger kit. Great for wedging fruits too!



Blade Assemblies

suggested uses

Put this beast to work if you want to

maximize the profit potential on your

orders for French fries or steak fries. It's

also very useful for cutting other large, firm vegetables, including colossal

onions, celery, bell peppers and more.



Monster FryKutter™ (



Introducing the first potato-cutting tool that just eats up the massive "monster" potatoes, delivering a big ½, 3/8 or ½ square cut. The special blade assembly does all the work to minimize operator fatigue and maximize productivity, so you can make more money on the big monster appetite of your customers.

Model #	Description	Blade/ Holder Assembly	Replacement Blades
56450A-1	¹/₄" Sq. Cut	56424A-1MK	536-1
56450A-1D	1/4" Sq. Cut, w/D-Handle	56424A-1MK	536-1
56450A-2	³/₅" Sq. Cut	56424A-2MK	536-2
56450A-2D	³/8" Sq. Cut, w/D-Handle	56424A-2MK	536-2
56450A-3	¹/₂" Sq. Cut	56424A-3MK	536-3
56450A-3D	¹ / ₂ " Sq. Cut, w/D-Handle	56424A-3MK	536-3
_			



Monster Airmatic FryKutter™

Never let a wave of hungry customers down. When the popularity of French fries meets your busiest rush times, get more orders out and make more money with Nemco's Monster Airmatic FryKutter.

Comes in 1/4", 3/8" or 1/2" square-cut sizes. Slicing blade assemblies are also available in 1/4", 3/8" or 1/2".

Model #	Description	Blade /Holder Assembly	Replacement Blades
56455-1	¹ /4" Sq. Cut	56424-1T	536-1T
56455-2	³ /8" Sq. Cut	56424-2	536-2
56455-3	¹ /2" Sq. Cut	56424-3	536-3



It is a must-have for very high-volume fast-food and grab-and-go-style restaurants. Use this workhorse for French fries and steak fries, as well as various cuts of other vegetables, including onions, celery, bell peppers, tomatoes and more.





easy lettucekutter





Easy LettuceKutter™

Cut mounds of crisp, fresh lettuce in seconds—and keep it fresh for hours, with a cut so incredibly clean, it prevents browning at the leaf edges. Process a whole head of cored lettuce at a time. Scalloped blades and a clean, slicing-action cut with no crushing and no bruising. Interlocked blades avoid flexing and require no tensioning. Plus, cleanup is easy.

Model #	Description	Blade Assembly	Replacement Blades
55650	1" x 1" Square	55485 (12 blades)	55470 (12 blades, unassembled)
55650-1	1/2" Slices	55495 (13 blades)	_
55650-2	For Romaine 1" x 2"	55485-2 (8 blades)	55470-2BR (8 blades, unassembled)
55650-3	1/2" x 1/2" Square	55924 (22 blades)	55923 (22 blades, unassembled)
55650-4	2" x 2" Square	55821 (6 blades)	55822 (6 blades, unassembled)
55650-CS*	3/8" Slices	55882 (17 blades)	_
55650-5**	5/16" Slices	55495-5 (21 blades)	_
55650-6	3/4" x 3/4" Square	55485-6 (16 blades)	55470-6 (16 blades, unassembled)

^{*}For cooked chicken. **For eggplant.

Optional Accessories

Model # Description

55491 Easy LettuceKutter Support Board w/Opening



suggested uses

Ideal for chopping iceberg and other lettuces, as well as slicing melons for fruit trays. Also slices lettuce for tacos and sandwiches. 55650-CS can be used to slice cooked chicken for wraps and salads.



Blade Assemblies



Support Board w/Opening

suggested uses

NSF polyethylene board fits securely over 20- and 32-gallon lettuce-keeper containers. Also holds other lettuce-cutting machines.

Ideal for onions, celery, potatoes, pickles,

firm tomatoes, oranges, lemons and limes.

Easy Onion Slicer 2™

Takes EASY to a whole new level . . . because a NEW factory-pretensioned blade set NEVER, EVER needs tightening! Even your most inexperienced employees can easily change the blades. Process up to a 4-inch diameter onion. But don't stop there. This remarkably versatile tool can make fast work of just about anything in the produce department!



easy wedger & easy apple corer

Foodservice's Equivalent to the Paper Clip

They call it a staple item.

A must-have. A no-brainer.


And if you're serving schools,
using the corer version is probably
the only way you can get the
students to eat their apples.

No matter how you slice it, it's one of your most inexpensive solutions for making your foodprep work a whole lot easier.

Granted, Nemco didn't develop the first wedger, or even master the first manual wedging-tool concept. But the way Nemco looks at it, if it's going to be a staple item, it should last a heck of a long time.

So, this one—simply called the Easy Wedger[™]—is built to operate more smoothly and more durably than any other.







Easy Wedger™ & Easy Apple Corer™

Save labor, and cut perfect wedges every time. Easy Wedger cuts cleanly and precisely with stay-sharp stainless-steel blades that minimize bruising. Works so fast, you can cut to order for the freshest selections possible. Built for years of reliable performance. Eight-section Easy Apple Corer looks and functions just like the Wedger, but it includes a pin in the middle of the pusher to simultaneously core while wedging.

Model #	Description	Blade Assembly
55550-4	4-Section Wedge	428-4
55550-6	6-Section Wedge	428-6
55550-8	8-Section Wedge	428-8
55550-10	10-Section Wedge	428-10
55550-8C	8-Section Corer	490-8



suggested uses

Easy Wedger is ideal for beverage operations. Use it for fresh lemon, lime and orange garnishes. Works great at the salad bar too. Try it with tomatoes, pickles, potatoes, cucumbers and zucchini.



Eight-section Easy Apple Corer—Cores and wedges at once—ideal for apples and pears.

Easy Dicer Two-Way Vegetable Cutter

In seconds, Easy Dicer provides uniform, precision dicing in one quick, easy operation. Cuts onions five times faster than by hand, up to 100 pounds in only 45 minutes. Unique two-way cutting action dices and slices at once, minimizing handling, providing cleaner cuts, and producing crisper, juicier shapes. Consistent output increases yield and reduces food waste. Constructed of rugged cast aluminum, stainless steel and engineered plastics for years of dependable service. Holds onions up to 3½ inches in diameter.

Model #	Description	Blade Assembly
55100E	1/4" x 1/4" x 1/4" Cut	55022A

Additional Blade Assembly Options

Model # 55125	Description 1/2" Grid Assembly Cuts 1/2" x 1/2" x 1/4" Cut
55065A	1/8" Rotary Cutter Assembly

Cuts 1/4" x 1/4" x 1/8" Cut

55816 Portable Base

Note: To change cut size from base model 55100E, purchase additional blade assemblies from above.




Ideal for dicing onions, potatoes, celery, green peppers and other toppings used for pizza, burgers, coney dogs, tacos, soups, stews, salads and more. For dicing firm tomatoes, use blade assembly 55125. Place cut side of tomato against blade.



Blade Assemblies



easy flowering onion cutter





Easy Flowering Onion™ Cutter

Use for the authentic cut that lets you serve today's most profitable, great-tasting appetizers—for a return of 700 percent or more! The Easy Flowering Onion Cutter produces these high-profit specialties fast—and oh, so easy. Just one stroke turns a colossal onion into a colossal, flowering favorite. Then batter, bread and deep fry. Adapter base lets you use smaller onions as well. Sturdy, all-metal construction for long life.

Model #	Description	Blade Assembly
55700	Onion Cutter	55511
55526	Small Onion Adapter	Included with Model 55700
55513	Core Cutter, Large 23/4"	Included with Model 55700
55527	Core Cutter, Small 13/4"	Included with Model 55700
NSF		

suggested uses

Create the perfect signature-item onion appetizer. Or dip the ends of a flowered raw onion in food coloring to create magnificent onion garnish. Use with colossal and smaller-sized onions.



Core Cutter—Remove onion core with the Core Cutter, and you create space to add a ramekin filled with delicious dipping sauce.

Green Onion Slicer Plus

For fast, fresh-sliced garnishes, salad toppings, appetizers, soup starters and more, choose the Green Onion Slicer Plus. It makes mounds of perfect slices in just one labor-saving stroke. Faster than knives or scissors. Razor-sharp blades are individually replaceable. Wall-mount design saves valuable counterspace.

Model # Description Replacement Blades 55250A 3/16" Cut 55225-6 (set of 6)



suggested uses

Slices green onions, mushrooms, peeled cucumbers, olives, bananas, green peppers, strawberries and other fruits and vegetables into perfect 3/16" slices.



Quickly and easily produce hardboiled-egg slices that are beautifully intact and precisely uniform in thickness. Engineered ABS plastic with stainless-steel wires and a special curved cradling feature all amount to a design that stands up to commercial kitchen rigors, yet gently and securely holds the egg for a clean cut, every time.

Model # Description 55400 Egg Slicer



suggested uses

A must for kitchens that produce signature salads and other menu items that include hardboiled eggs and a reverence for presentation. Also a great tool for slicing strawberries and other similar-sized, softer foods.



suggested uses

The Easy Cheeser is perfect for salad bars, deli trays, party packs, in-store sampling, hors d'oeuvres and specialty trays. Great for butter too! Makes individual pats and serving-size squares.



Mozzarella Specialty Unit—Will slice other cheeses, but frame is designed to cradle mozzarella, and cutting wires are spaced specifically for 5/16" slices.

Easy Cheeser™

Save time and labor with Easy Cheeser cheese cutters. These rugged, all metal units cut uniform cubes, sticks, squares and rectangles of everybody's favorite cheeses, including mozzarella, Monterey Jack, cheddar, Muenster, Swiss, American and more. Slicing arms are interchangeable and easy to switch. Stainless-steel cutting wires are replaceable. Cubes a five-pound cheese loaf in only 75 seconds.

Model # 55300A 55300A-1 55300A-2 55300A-516D	Description 3/4" Slicing Arm 3/s" Slicing Arm 3/4" and 3/8" Arms 5/16" Slicing Arm	Wire Kit 55288 55288 55288 55288	
		³/4" cube	³/s" cube
³ / ₈ " stick ³ / ₈ "	x ³ / ₄ " stick ³ / ₄ " stick	³ / ₄ " x ³ / ₄ " x ³ / ₈ " square block	3/4" x 3/8" x 3/8" rectangular block

suggested uses

Use with the Nemco Easy Cheeser cutter for a total cheese-prep center.



Easy Cheese Blocker™

Cut cheese blocks down to size in seconds for more manageable cubing, slicing and shredding. Sturdy, all stainless-steel construction and rigid cutting bow ensure straight, even cuts plus long life. Calibrated, notched, ½-inch cutting guide helps to improve consistency and reduce waste. Stainless-steel cutting wire is easily replaced. Process 40-pound cheese blocks, 35-pound cheese wheels or smaller.

Model # Description Wire Kit 55350A Cheese Block Cutter 55359-P3



(NSF)







CanPRO® Compact Can Opener

Nemco's unique mechanical design thinks outside the can! Instead of cutting down vertically into the lid, the CanPRO Compact cuts horizontally into the rim for improved food safety, as well as operator safety. Cutting from the outside, the blade assembly crimps as it cuts, eliminating the sharp edge that can slice a hand or damage a spatula. Plus, it leaves no metal slivers that can fall into the food contents. Running the circumference of a #10-sized can just takes a few quick and easy turns of the crank. It's adjustable to all common can sizes and features a permanent mount with an optional temporary clamp, allowing you to move the opener around the kitchen. Security model option available.

Description	Replacement Cutter
CanPRO Compact, Permanent Mount	56029
CanPRO Compact, Temporary Mount	56029
CanPRO Compact, Security Model	56029
Cutter Housing Assembly	_
	CanPRO Compact, Permanent Mount CanPRO Compact, Temporary Mount CanPRO Compact, Security Model

suggested uses

If your operation is trying to maximize the exploding popularity of chicken salads and sandwich wraps, this is the tool you need. It quickly and easily cuts through chicken and turkey breasts.



Easy Chicken Slicer™ NEW!

(NSF)

Cut your labor, not your hands, with the new Easy Chicken Slicer. The ingeniously simple design features a unique assembly of unsharpened blades that make quick work of breaded, cooked chicken breast. Compared to the conventional knife-in-hand alternative, the Easy Chicken Slicer performs with superior speed, consistency and, above all, safety—with virtually no training required! Cleanup is a breeze. Sharpened blades are also available for cutting other foods. All blades come as factorypretensioned blade cartridges for super-fast and easy changeout.

Model #	Description	Blade Assembly
55975	1/2" Slice	55868
55975-SC	1/2" Slice (Scalloped)	55868-SC
55975-1	3/8" Slice	55868-1
55975-1SC	3/8" Slice (Scalloped)	55868-1SC
*55975-1SC-CHT	3/8" Slice (Scalloped)	55868-1SC
55975-2	1/4" Slice	55868-2
55975-2SC	1/4" Slice (Scalloped)	55868-2SC

Standard leg height is 2 3/8". *Legs are taller at 4".









Easy Juicer puts a 20:1 mechanical advantage in the palm of your hand. Specially designed ergonomic handle is easy to grip. Stainlesssteel rack and pinion is supported between two self-lubricating bronze bearings. High-strength steel post adds rigidity. Aluminum and stainless-steel construction plus all stainless-steel fasteners for rugged performance and durability. Strainer cone and cup are removable.

Model # Description 55850 Citrus Juicer





suggested uses

specialties.

Ideal for oranges, lemons

Easy Pineapple Corer & Peeler

Take all the labor out of prepping a pineapple. Nemco's latest countertop innovation completely removes the core and peel with one simple pull of its easy-action, top-down lever. Saves time, effort and food waste. A locking mechanism keeps the handle and blade in the up position while loading a pineapple. Tough aluminum and stainless-steel construction and easy disassembly for cleaning extend the life of the unit for great return on investment.

Model # Description Blade Assembly 55775 3.5" Pineapple Corer & Peeler 56511 55775-1 4" Pineapple Corer & Peeler 56511-1





Easy Tuna Press™

Removes excess water from canned tuna quickly and easily for better food quality. Sandwiches and salads stay fresh longer, retain a more appetizing appearance because extra water that causes soggy bread and lettuce is completely removed. Holds one 64-ounce foodservice-sized can.

Description Model # 55800 Tuna Press









suggested uses

The ShrimpPro is the perfect answer for uniform deveining and butterflying shrimp for seafood bars and buffets, Asian stir-fry restaurants, caterers and other seafood specialty restaurants and retailers.

Low- to medium-volume seafood operators should opt for the ShrimpPrep.



ShrimpPro 2000® Power Shrimp Cutter & Deveiner™

Keep pace with the demand of your hungriest shrimp lovers! In just one hour, the ShrimpPro instantly and consistently deveins, cuts, butterflies or splits up to 6,000 shrimp! Operators can hand-feed or attach the feeder tray for higher volumes. Either way, the ShrimpPro does all the work with virtually no risk of injury. Compact, portable design saves space and makes for easy storage. ShrimpPrep is specially designed to operate with your existing Robot Coupe™ food processor.

Model # Description Replacement Blades

55925* ShrimpPro® (2000) 55977 55950 ShrimpPrep® (RC-2001) 55977

Comes with feeder tray, S-M-L depth rollers, lubricant, and two 91/16" blade wrenches. Available also in 230-Volt CE model. Call for details.

Optional Accessories

Model # Description

56004 ShrimpPro® Feeder Tray 55991 ShrimpPrep® Feeder Tray

Robot Coupe $^{\text{TM}}$ is a trademark of Robot Coupe USA.



suggested uses

Perfect for restaurants with oyster bars and seafood buffets, as well as catering operations and supermarkets.





ProShucker® Power Shell Separator™

The ProShucker quickly and cleanly opens up a dozen oysters a minute with virtually 0% risk and 100% yield. A dull-threaded bit gently pries open the shell. Works fast, and evacuates all mud and shell fragments, so you yield maximum meat with minimum contamination. Best of all, the ProShucker is so easy to use, it requires almost no training!

Model # Description Replacement Bit 55900 ProShucker® (PSS-100) 55957 (set of 3)

Comes with foot pedal, 3 bits/augers and 2 bit replacement wrenches. Available also in 230-Volt model. Call for details. All 230V units are shipped without plug on cords.



food-grade equipment lubricant



Pro-Food Equipment Lubricant

Improve the performance and longevity of your food equipment with Nemco's Pro-Food oil and grease products—specially formulated and USDA H1-rated for surfaces that have direct food contact. Completely sanitary, nontoxic, odorless and tasteless, Pro-Food effectively and precisely lubricates equipment slides, shafts, bearings and other moving mechanical parts to smooth out noise and friction during operation. Plus, Pro-Food also protects surfaces by acting as a rust-inhibitive coating on non-stainless metals and a nonstick coating on protein-cutting surfaces that can otherwise be difficult to clean. Available as a low-viscosity oil in a spray can or a high-viscosity grease in a tube.

Model # Description

47709 Pro-Food Equipment Grease Gel, 1oz

47709-50 Pro-Food Equipment Grease Gel, 1oz (case of 50)

56075 Pro-Food Equipment Oil Spray, 16oz

56075-12 Pro-Food Equipment Oil Spray, 16oz (case of 12)



Model 4770

Available as a low-viscosity oil in a spray can or a high-viscosity grease in a tube.





Model 56075

prep **\(\)**

vegetable-prep machines

Torque Tastes Better

When talking about high-capacity food processing, conventional wisdom says faster blade speed is the key to more productivity.

Except, as any operator knows, food-business success can't live on speed alone.

That's why Nemco, a company built on food-prep equipment solutions that maximize flavor and presentation as much as efficiency, is turning food processing in a different direction—with a line of machines that bring a new engineering ingredient to the mix.





Model CC-34



Combi Cutter NEW!

As the name implies, this model combines all the capabilities of the line's other two machines into one super-versatile food-processing marvel. Slice, dice, shred, grate, crinkle-cut or julienne just about any produce or cheese item you can imagine. Or, switch to the cutter/blender function to chop, grind, mix, mince, puree or blend an endless array of proteins, produce and more. Smart speed-to-torque engineering works fast while minimizing stress on both the food and the blades for optimum food integrity and longer service life.

Model #	Description	Size (W x D x H)
CC-34	Combi Cutter, Vertical Cutter, 4-Speed w/Dicing	11 ¹ / ₄ " x 13 ³ / ₄ " x 18 ⁵ / ₁₆ "
CC-32S	Combi Cutter, Vertical Cutter, 4-Speed	11 ¹ / ₄ " x 13 ³ / ₄ " x 18 ⁵ / ₁₆ "

suggested uses

Any operation that wants to deploy a full arsenal of high-capacity food processing capabilities will want this amazing utility machine. Run loads of produce, cheeses and more through a wide range of cut variations. Or, grind and puree everything from meats and fish to veggies and nuts. Or, blend nearly any set of ingredients into a perfect house recipe.





NEW! **Vegetable-Prep Machine**

Slice, dice, shred, grate, crinkle-cut or julienne just about any produce or cheese item you can imagine in volumes that will improve your kitchen efficiency like you've never seen. Smart speed-to-torque engineering works fast while minimizing stress on both the food and the blades for optimum food quality and longer service life. Processes five pounds a minute or 80 portions a day.

Model #	Description	Size (W x D x H)
RG-50	Vegetable-Prep Machine, Multifunction, w/Dicing	11 ¹ / ₄ " x 13 ³ / ₄ " x 18 ⁵ / ₁₆ "
RG-50S	Vegetable-Prep Machine, Multifunction	11 ¹ / ₄ " x 13 ³ / ₄ " x 18 ⁵ / ₁₆ "

Optional Accessories for Combi Cutter and Vegetable-Prep Machine

Model #	Description
285001	Slicer 1/32" (1 mm)
285002	Slicer 5/64" (2 mm)
285004*	Slicer 5/32" (4 mm)
285006	Slicer 7/32" (6 mm)
263104	Slicer 3/8" (10 mm)
283375	Soft Slicer 5/16" (8 mm)
283364	Soft Slicer 3/8" (10 mm)
283385	Soft Slicer 15/32" (12 mm)
283383	Soft Slicer 5/8" (15 mm)
285048	Crimping Slicer 5/32" (4 mm)
285057	Julienne Cutter 5/64" (2x2 mm)
285050	Julienne Cutter 5/32" (4x4 mm)
263138	Julienne Cutter 7/32" (6x6 mm)
285044*	Grater/Shredder 5/64" (2 mm)
285040	Grater/Shredder 5/32" (4 mm)
285045	Grater/Shredder 7/32" (6 mm)
283214	Grater/Shredder 5/16" (8 mm)
283291	Dicing Grid 5/16" (8x8 mm)
283292	Dicing Grid 3/8" (10x10 mm)
283294	Dicing Grid Low 15/32" (12x12 mm)
283296	Dicing Grid Low 5/8" (15x15 mm)

*Comes standard with each machine: CC-34, CC-32S, RG-50 & RG-50S.



suggested uses

Ideal for restaurant & hospitality operations, as well as healthcare and school institutions, looking to increase food-prep volume on anything from fruits and veggies to cheese, dry bread, nuts and more.







suggested uses

Perfect for restaurants, cafés, bars or any operation that serves specialty drinks or house-made nut butters, soups, sauces, dressings or pâtés. Especially ideal for healthcare facilities with patients who can't chew food.



Vertical Cutter/Blender NEW!

Chop, grind, mix, mince, puree or blend an endless array of proteins, produce and more. Two speeds, with the right torque application ensure crisp, clean cuts; smooth, uniform textures; and perfectly harmonized blends. A patented three-scraper system clears food away from the lid and bowl and forces it back into the blades to prevent "chasing" that generates friction and unwanted preheat. Accepts up to three quarts for a final yield of one and a half quarts.

Model # Description Size (W x D x H) VCB-32 Vertical Cutter/Blender 11¹/₄" x 13³/₁₆" x 17⁵/₁₆"







Get Amazing Food-Prep Versatility

Choose from a wide array of cutting tools that can be used in Nemco's Vegetable Prep Machine or Combi Cutter.



Slicers

Slices firm and soft vegetables, fruits, mushrooms etc. Dices when combined with a suitable dicing grid.



Fine Cut Slicers

Slices firm and soft vegetables, fruits, mushrooms etc. Dices when combined with a suitable dicing grid.



Soft Slicers

Slices soft vegetables, fruits, mushrooms etc. Preferably used when dicing soft products, in combination with a suitable dicing grid.



Crimping Slicers

Cut decorative rippled slices of beetroot, cucumber, carrots, etc.



Julienne Cutters

Cut julienne of firm products for soups, salads, stews, decorations etc. Suitable to cut slightly curved French fries.



Graters/Shredders

Grates carrots and cabbage for raw salads. Grates nuts, almonds and dry bread. Grater 7/32" or 5/16" is commonly used for grating cheese for pizza and when shredding cabbage.



Dicing Grids

Cut dices in combination with a suitable type of slicer. Dice both hard and soft vegetables, fruits etc.

orep I hot dog

roller grills

Famous Old Dog. Exciting New Tricks.

In the tradition of allowing the market to influence design, when Nemco acquired the very first roller grill, the next immediate move was to find out how it could serve foodservice operators like you even better.

operates more quietly, sports a sharper front-of-the-house look, and features even heat distribution completely across every roller....
Oh, yeah, and it's built to last even longer than the decades-old original units still going strong today.





Roller Grills

Let profits roll! Grill hot dogs, egg rolls, taquitos and more. The 360° roller rotation prevents residue buildup, while individual roller heating elements ensure heating consistency. Removable drip pan makes for easy cleaning. Inside, new grease seal feature prevents grease buildup inside the bearing. Electric power requires no ventilation system, and infinite heat settings offer convenient temperature control. For optimum roller-performance capability, look for Gripslt models that include nonstick properties with grip- and abrasion-resistant additive.

Model # 8010	Description Holds 10 Hot Dogs, Chrome	Size (W x D x H) 16" x 11" x 7 ¹ / ₄ "	Volts 120	Watts	Amps 2.8	No. of Rollers 6	No. of Cords 1 / 5-15P	No. of 5" Franks Per Hour 10–200
8010SX	Holds 10 Hot Dogs, w/GripsIt *	16" x 11" x 7 ¹ / ₄ "	120	330	2.8	6	1 / 5-15P	10–200
8018	Holds 18 Hot Dogs, Chrome	18 ¹ / ₂ " x 16 ¹ / ₄ " x 7"	120	950	7.9	10	1 / 5-15P	18-360
8018SX	Holds 18 Hot Dogs, w/GripsIt *	18¹/2" x 16¹/4" x 7"	120	950	7.9	10	1 / 5-15P	18–360
8027	Holds 27 Hot Dogs, Chrome	22 ¹ / ₄ " x 16 ¹ / ₄ " x 7"	120	950	7.9	10	1 / 5-15P	27-540
8027SX	Holds 27 Hot Dogs, w/GripsIt *	22 ¹ / ₄ " x 16 ¹ / ₄ " x 7"	120	950	7.9	10	1 / 5-15P	27–540
8036	Holds 36 Hot Dogs, Chrome	29 ¹ / ₂ " x 16 ¹ / ₄ " x 7"	120	1500	12.5	10	1 / 5-15P	36-720
8036SX	Holds 36 Hot Dogs, w/GripsIt *	29 ¹ / ₂ " x 16 ¹ / ₄ " x 7"	120	1500	12.5	10	1 / 5-15P	36–720
8045W	Wide, Holds 45 Hot Dogs, Chrome	35 ¹ / ₂ " x 16 ¹ / ₄ " x 7"	120	1800	15.0	10	1 / 5-15P	45–900
8045SXW	Wide, Holds 45 Hot Dogs, w/GripsIt *	35 ¹ / ₂ " x 16 ¹ / ₄ " x 7"	120	1800	15.0	10	1 / 5-15P	45–900
8045N	Narrow, Holds 45 Hot Dogs, Chrome	22 ¹ / ₄ " x 25 ³ / ₄ " x 7"	120	1520	12.7	16	1 / 5-15P	45–900
8045SXN	Narrow, Holds 45 Hot Dogs, w/GripsIt *	22 ¹ / ₄ " x 25 ³ / ₄ " x 7"	120	1520	12.7	16	1 / 5-15P	45–900
8075	Holds 75 Hot Dogs, Chrome	35 ¹ / ₂ " x 25 ³ / ₄ " x 7"	120	2880	24.0	16	2 / 5-15P	75–1500
8075SX	Holds 75 Hot Dogs, w/GripsIt *	35 ¹ /2" x 25 ³ /4" x 7"	120	2880	24.0	16	2 / 5-15P	75–1500









220-Volt and 230-Volt CE models are also available. Call for details. *See description of Gripslt on pg. 38.



Roller Grill Divider Kits

Divider kits are available for most Nemco Roller Grills. 80440 kits include convenient self-serve tongs, tong holder and control cover. (See photo on pg. 43)

Model #	Description
80435-27	Fits 8027 Series Roller Grills
80435-36	Fits 8036 Series Roller Grills
80435-45N	Fits 8045N Series Roller Grills
80435-45W	Fits 8045W Series Roller Grills
80435-75	Fits 8075 Series Roller Grills
80440-30	Fits 8230 Series Roller Grills
80440-50	Fits 8250 Series Roller Grills









Only from Nemco

Sell more taquitos, pancake rollups and other specialty roller-grilled foods with Nemco's proprietary GripsIt™ roller coating—available on all Roller Grill models. GripsIt combines a subtle friction characteristic with a smooth surface finish, optimizing cooking rotation without giving up the important food-safety cleanability of conventional chrome rollers.



Slanted Roller Grills

A special tiered roller design adds an effective merchandising edge, because it brings the deliciously tempting grilled hot dogs into better view for your customers. For a high-capacity slanted grill option—without a major investment upgrade—take a look at Nemco's NEW slanted model options. And, for optimum roller performance, consider Nemco's Gripslt models, featuring a proprietary roller coating that grips and turns better than chrome, but cleans up just as easily! No of

up just as	easily:					No. of	No. of	5" Franks
Model #	Description	Size (WxDxH)	Volts	Watts	Amps	Rollers	Cords	Per Hour
8027-SLT	Slanted, Holds 27 Hot Dogs, Chrome	22 ¹ / ₄ " x 16 ¹ / ₄ " x 10 ¹ / ₄ "	120	950	7.9	10	1 / 5-15P	27-540
8027SX-SLT	Slanted, Holds 27 Hot Dogs, w/GripsIt	22 ¹ / ₄ " x 16 ¹ / ₄ " x 10 ¹ / ₄ "	120	950	7.9	10	1 / 5-15P	27-540
8033SX-SLT	Slanted, Holds 33 Hot Dogs, w/GripsIt	23 ³ / ₄ " x 20 ¹ / ₈ " x 10 ³ / ₈ "	120	1200	10.0	12	1 / 5-15P	33-660
8036-SLT	Slanted, Holds 36 Hot Dogs, Chrome	29 ¹ /2" x 16 ¹ / ₄ " x 10 ¹ / ₄ "	120	1500	12.5	10	1 / 5-15P	36-720
8036SX-SLT	Slanted, Holds 36 Hot Dogs, w/GripsIt	29 ¹ /2" x 16 ¹ / ₄ " x 10 ¹ / ₄ "	120	1500	12.5	10	1 / 5-15P	36-720
8045W-SLT	Wide, Slanted, Holds 45 Hot Dogs, Chrome	35 ¹ /2" x 16 ¹ /4" x 10 ¹ /4"	120	1800	15.0	10	1 / 5-15P	45-900
8045SXW-SLT	Wide, Slanted, Holds 45 Hot Dogs, w/GripsIt	35 ¹ /2" x 16 ¹ /4" x 10 ¹ /4"	120	1800	15.0	10	1 / 5-15P	45-900
8055SX-SLT	Slanted, Holds 55 Hot Dogs, w/GripsIt	35 ³ / ₄ " x 20 ¹ / ₈ " x 10 ³ / ₈ "	120	1560	13.0	12	1 / 5-15P	55-1100


220-Volt and 230-Volt CE models are also available. Call for details.






Roller Grills with Digital Temperature Readout

A new twist on Nemco's original roller grill—a digital temperature readout with a mechanical temperature control. For optimum roller-performance capability, look for Gripslt models that include nonstick properties with grip- and abrasion-resistant additive.









Digital Roller Grills

Nemco's latest grill model is ideal for high-volume, self-serve establishments, where employees have little time to monitor the unit. New digital controls allow operators to place the food on the rollers, hit a button and walk away. The preprogramming then automatically sequences through the preheat, cook and hold settings to achieve a perfectly grilled product completely without supervision. For optimum roller-performance capability, look for Gripslt models that include nonstick properties with grip- and abrasion-resistant additive.

No. of

Model #	Description	Size (WxDxH)	Volts	Watts	s Amps	No. of Rollers	No. of Cords	6" Franks Per Hour
8230-SLT	Roller Grill, 30 Hot Dogs, Chrome	23 ³ / ₄ " x 18 ⁵ / ₈ " x 10 ¹ / ₄ "	120	1100	9.2	11	1/5-15P	30-600
8230SX-SLT	Roller Grill, 30 Hot Dogs, GripsIt	23 ³ / ₄ " x 18 ⁵ / ₈ " x 10 ¹ / ₄ "	120	1100	9.2	11	1/5-15P	30-600
8250-SLT	Roller Grill, 50 Hot Dogs, Chrome	9 35 ³ / ₄ " x 18 ⁵ / ₈ " x 10 ¹ / ₄ "	120	1430	11.9	11	1/5-15P	50-1000
8250SX-SLT	Roller Grill, 50 Hot Dogs, GripsIt	35 ³ / ₄ " x 18 ⁵ / ₈ " x 10 ¹ / ₄ "	120	1430	11.9	11	1/5-15P	50-1000

roller grill wintegrated bun drawer



Roller Grill with Integrated Bun Drawer

New all-in-one unit is designed for optimum space savings, while providing ultimate user convenience. Stays compact, and is easily portable without the need to move and set up multiple components again. Same uniform, lasting cooking performance and easy cleanup—All models come with GripsIt for optimum roller performance.

	-						No. of	6" Franks
Model #	Description	Size $(W \times D \times H)$	Volts	Watts	Amps	Rollers	Cords	Per Hour
8527SX-BW	Flat, 27 Hot Dogs, 32 Buns	22 ¹ / ₄ " x 16 ¹ / ₄ " x 12"	120	950	7.9	10	1 / 5-15P	27-540
8536SX-BW	Flat, 36 Hot Dogs, 48 Buns	29 ¹ / ₂ " x 16 ¹ / ₄ " x 12"	120	1500	12.5	10	1 / 5-15P	36-720
8545SXW-BW	Flat, 45 Hot Dogs, 64 Buns	35 ¹ / ₂ " x 16 ¹ / ₄ " x 12"	120	1800	15.0	10	1 / 5-15P	45-900
8575SX-BW	Flat, 75 Hot Dogs, 64 Buns	35 ¹ / ₂ " x 25 ³ / ₄ " x 12"	120	2880	24.0	16	2 / 5-15P	75-1500
8527SX-SLT-BW	Slanted, 27 Hot Dogs, 32 Buns	22 ¹ / ₄ " x 16 ¹ / ₄ " x 12"	120	950	7.9	10	1 / 5-15P	27-540
8536SX-SLT-BW	Slanted, 36 Hot Dogs, 48 Buns	29 ¹ / ₂ " x 16 ¹ / ₄ " x 12"	120	1500	12.5	10	1 / 5-15P	36-720
8545SXW-SLT-BW	Slanted, 45 Hot Dogs, 64 Buns	35 ¹ / ₂ " x 16 ¹ / ₄ " x 12"	120	1800	15.0	10	1 / 5-15P	45-900
8630SX-BW	Digital, Flat, 30 Hot Dogs, 32 Buns	23 ³ / ₄ " x 18 ⁵ / ₈ " x 12"	120	1100	9.2	11	1 / 5-15P	30-600
8650SX-BW	Digital, Flat, 50 Hot Dogs, 64 Buns	35 ³ / ₄ " x 18 ⁵ / ₈ " x 12"	120	1430	11.9	11	1 / 5-15P	50-1000
8630SX-SLT-BW	Digital, Slanted, 30 Hot Dogs, 32 Buns	23 ³ / ₄ " x 18 ⁵ / ₈ " x 12"	120	1100	9.2	11	1 / 5-15P	30-600
8650SX-SLT-BW	Digital, Slanted, 50 Hot Dogs, 64 Buns	35 ³ / ₄ " x 18 ⁵ / ₈ " x 12"	120	1430	11.9	11	1 / 5-15P	50-1000

No. of

bun warmers & bun boxes



Moist Heat Bun & Food Warmers

Keeps buns and other foods warm, fresh and ready to serve. Stainless-steel construction adds durability and makes cleaning easy. Stackable design saves space.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps	Bun Capacity
8018-BW	Bun & Food Warmer	$18^{1}/_{2}$ " x $17^{3}/_{4}$ " x $10^{5}/_{8}$ "	120	400	3.3	24
8027-BW	Bun & Food Warmer	23 ³ / ₄ " x 17 ³ / ₄ " x 10 ⁵ / ₈ "	120	450	3.8	32
8033-BW	Bun & Food Warmer	23 ⁷ /8" x 22 ³ /16" x 10 ⁵ /8"	120	450	3.8	32
8036-BW	Bun & Food Warmer	30" x 19 ¹ / ₂ " x 10 ⁵ / ₈ "	120	550	4.6	48
8045N-BW	Bun & Food Warmer	23 ⁷ /8" x 27 ¹ /4" x 10 ⁵ /8"	120	450	3.8	32
8045W-BW	Bun & Food Warmer	35 ¹ / ₂ " x 18" x 10 ⁵ / ₈ "	120	650	5.4	64
8055-BW	Bun & Food Warmer	$35^{1}/_{2}$ " x $22^{3}/_{16}$ " x $10^{5}/_{8}$ "	120	650	5.4	64
8075-BW	Bun & Food Warmer	35 ¹ / ₂ " x 25" x 10 ⁵ / ₈ "	120	650	5.4	64

220-Volt and 230-Volt CE models are also available. Call for details.







Bun & Food Warmers

These durable, stainless-steel, single-drawer warmers will keep the buns and other foods fresh and ready to serve. Their space-saving, stackable design makes for an easy fit most anywhere. 8024-BW has a stainless-steel, flip-down door.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps	Bun Capacity
8024-BW	Bun & Food Warmer No Moist Heat	16 ¹ / ₄ " x 11" x 5"	120	20	0.17	24
8048-BW	Bun & Food Warmer No Moist Heat	22 ¹ /2" x 15 ¹ /2" x 7 ¹ /2"	120	108	0.9	48

220-Volt models are also available. Call for details.





Stainless Steel Bun Boxes

Each of these commercial-grade boxes provides a durable, stackable storage unit that keeps your hot-dog buns fresh. Available in a variety of sizes.

Model #	Description	Size (WxDxH)	Bun Capacity
8018-SBB	Bun Box, Stainless Steel w/Door, Fits 8018 Series	18 ³ / ₄ " x 19" x 6 ¹ / ₄ "	36
8027-SBB	Bun Box, Stainless Steel w/Door, Fits 8027 Series	22 ³ / ₄ " x 19" x 6 ¹ / ₄ "	36
8033-SBB	Bun Box, Stainless Steel w/Door, Fits 8033 Series	24 ¹ / ₄ " x 22 ¹ / ₄ " x 6 ¹ / ₂ "	36
8036-SBB	Bun Box, Stainless Steel w/Door, Fits 8036 Series	29 ⁵ /8" x 19" x 6 ¹ /4"	48
8045N-SBB	Bun Box, Stainless Steel w/Door, Fits 8045N Series	22 ¹ / ₄ " x 28 ¹ / ₄ " x 6 ¹ / ₄ "	64
8045W-SBB	Bun Box, Stainless Steel w/Door, Fits 8045W Series	35 ¹ / ₂ " x 19" x 6 ¹ / ₄ "	60
8055-SBB	Bun Box, Stainless Steel w/Door, Fits 8055 Series	36" x 22 ¹ / ₄ " x 6 ¹ / ₂ "	60
8075-SBB	Bun Box, Stainless Steel w/Door, Fits 8075 Series	35 ¹ / ₂ " x 28 ¹ / ₄ " x 6 ¹ / ₄ "	96
8230-SBB	Bun Box, Stainless Steel w/Door, Fits 8230 Series	23 ³ / ₄ " x 21 ¹ / ₄ " x 6 ¹ / ₄ "	36
8250-SBB (NSF)	Bun Box, Stainless Steel w/Door, Fits 8250 Series	35 ³ /4" x 21 ¹ /4" x 6 ¹ /4"	60





accessories for roller grills









Self-Serve Guards

Polycarbonate guards (available for every grill model except the 8010 Series) offer all the advantages of the standard guards, but with a higher-impact resistance and heat resistance for exceptional durability in the busiest environments. For added convenience, operators can temporarily rest buns and such on the flat top. The guard sits firmly on top of the roller grill, yet is easily removed for cleaning.

Model #	Description	Size $(W \times D \times H)$	Fits Roller Grill
8010GD	Self-Serve Guard	16 ³ / ₈ " x 10 ¹ / ₄ " x 7"	8010 Series
8018GD	Self-Serve Guard w/Door	19" x 17 ¹ / ₄ " x 9"	8018 Series
8027GD	Self-Serve Guard w/Door	22 ³ / ₄ " x 17 ¹ / ₄ " x 9"	8027 Series
8033GD	Self-Serve Guard w/Door	24 ³ /8" x 20 ¹ /8" x 8 ³ /8"	8033 Series
8036GD	Self-Serve Guard w/Door	30" x 17 ¹ / ₄ " x 9"	8036 Series
8045NGD	Self-Serve Guard w/Door	22 ³ / ₄ " x 26 ³ / ₄ " x 9"	8045N Series
8045WGD	Self-Serve Guard w/Door	36" x 17 ¹ / ₄ " x 9"	8045W Series
8055GD	Self-Serve Guard w/Door	36 ³ / ₈ " x 20 ¹ / ₈ " x 8 ³ / ₈ "	8055 Series
8075GD*	Self-Serve Guard w/Door	36" x 26 ³ / ₄ " x 9"	8075 Series
8230GD	Self-Serve Guard w/Door	24 ³ / ₁₆ " x 19" x 9"	8230 Series
8250GD	Self-Serve Guard w/Door	36 ³ / ₁₆ " x 19" x 9"	8250 Series
8230DGD	Self-Serve Guard w/Pass-Thru	24 ³ / ₁₆ " x 19 ³ / ₄ " x 9"	8230 Series
8250DGD	Self-Serve Guard w/Pass-Thru	36 ³ / ₁₆ " x 19 ³ / ₄ " x 9"	8250 Series



Canopy Sneeze Guards

Keep your Roller Grill covered with the added convenience of these pass-through canopy guards. The open design, with no doors, makes it easy to load the grill from the operator side, while still allowing access to the food from the customer side.

Model #	Description	Size (WxDxH)	Fits Roller Grill
8018-CGD	Canopy Sneeze Guard	19" x 17 ¹ / ₂ " x 8 ³ / ₄ "	8018 Series
8027-CGD	Canopy Sneeze Guard	223/4"x 171/2" x 83/4"	8027 Series
8036-CGD	Canopy Sneeze Guard	30" x 17 ¹ / ₂ " x 8 ³ / ₄ "	8036 Series
8045N-CGD	Canopy Sneeze Guard	223/4" x 27" x 83/4"	8045N Series
8045W-CGD	Canopy Sneeze Guard	36" x 17 ¹ / ₂ " x 8 ³ / ₄ "	8045W Series
8075-CGD*	Canopy Sneeze Guard	36" x 27" x 8 ³ / ₄ "	8075 Series
8230-CGD	Canopy Sneeze Guard	24 ¹ / ₄ " x 19 ⁷ / ₈ " x 8 ³ / ₄ "	8230 Series
8250-CGD	Canopy Sneeze Guard	36 ¹ / ₄ " x 19 ⁷ / ₈ " x 8 ³ / ₄ "	8250 Series

^{*}Not for use with 8075SXW-RC or 8075SXW-SLT-RC.

Tongs With Holder

Like losing the remote for the TV, no one likes it when the roller-grill tongs go missing. Consider the problem solved with this convenient add-on tong-holder combo. Fits any grill model and features a super-elastic cord that allows for easy use without risk that the tongs walk away.

Description Model # 80650 Tong Holder w/Tongs



Perfect for convenience stores and concession areas short on space. Also great for informal catering events, bars, pool halls, bowling alleys and other public-gathering places.



Hot Dog Steamers

You can't beat the moneymaking magic of a classic ballpark hot dog. Nemco's countertop hot dog steamer cooks 'em up plump and juicy, and adds merchandising appeal to attract hungry customers. Smart design uses steam to keep buns on the upper bun rack moist and fresh. User-friendly features minimize the need for operator attention. Best of all, hot dogs can be ready to serve in as few as 10 minutes!

Model # 8300	Description Hot Dog Steamer, 7 ¹ / ₂ qt. Water Reservoir 150 Hot Dogs, 30 Buns, Low-Water-Level Inc	Size (W x D x H) 13 ¹ / ₂ " x 15" x 18" dicator Light	Volts 120	Watts 800	Amps 6.7
8301	Hot Dog Steamer, 71/2 qt. Water Reservoir 150 Hot Dogs, 30 Buns, No Low-Water-Leve	13 ¹ / ₂ " x 15" x 18" I Indicator Light	120	800	6.7

220-Volt and 230-Volt CE models are also available. Call for details.



Mini Cart

Cash in on a real fan favorite with the fun and character of these mini hot-dog cart merchandisers that fit right on your countertop or bar. Fully adjustable heating controls let you easily set and monitor temperatures. Inserts and accessories allow you to adapt to changing menu items. Standard models steam and hold as many hot dogs as a New York City street cart!


Model #	Description	Size (WxDxH)	Volts	Watts	Amps
6550-DW	Mini Cart. Blue	23 ⁷ /8" x 14 ⁵ /8" x 10 ¹ /2"*	120	1500	12.5

*Height with umbrella is 46'/2". Please specify pan configuration option number below when ordering. Additional pan configurations available. Call for details.





80440-50



Pan configuration-option 2



Pan configuration-option 3



To identify the model numbers of the appropriate accessories for your grill, read across from the model number of the grill you choose. Grill Series # Bun Warmers (Stainless Steel) **Divider Kits Bun Boxes** Self-Serve Guards Canopy Guards 8010 8024-BW 8018-SBB 8010GD 8018GD 8018 8018-BW 8018-SBB 8018-CGD 8027 8027-BW, 8048-BW 80435-27 8027-SBB 8027GD 8027-CGD 8033 8033GD 8033-BW 8033-SBB 8036GD 8036-CGD 8036 8036-BW 80435-36 8036-SBB 8045N-SBB 8045NGD 8045N-CGD 8045N 8045N-BW 80435-45N 8045W-BW 8045W 80435-45W 8045W-SBB 8045WGD 8045W-CGD 8055 8055-BW 8055-SBB 8055GD 8075 8075-BW 80435-75 8075-SBB 8075GD 8075-CGD 8230GD, 8230DGD 8230 80440-30 8230-SBB 8230-CGD

8250-SBB


8250GD, 8250DGD

8250-CGD

8250

cooking, toasting, baking

paniniPro high-speed sandwich press



Place an Order for "Wow"

Given the high demand—and subsequent high margin—associated with paninis, wraps and all sorts of other grilled-style sandwiches, foodservice operators look at the relatively tedious task of preparing these hot sellers and say, "It's worth it." But what if. . . ?

What if tedious wasn't part of the equation? How much more money is there to be made?

When seeing how the PaniniPro™ simultaneously heats the protein and toasts the bread in a hot minute—on a durable aluminum surface with a tough nonstick coating—these same operators are turning "what if" into a big "wow."



PaniniPro[™] High-Speed Sandwich Press


Doing the conventional panini press one better, the PaniniPro high-speed sandwich press gives super-busy and space-restrictive foodservice operations exactly what they need to break into the hot-sandwich market. With simultaneous conduction and microwave heating, sandwiches can be ready in under a minute. Programmable, push-button electronic controls ensure heating consistency from sandwich to sandwich, employee to employee, while a built-in USB port makes reprogramming for a menu change a simple process.

Model # 6900A-208-GF	Description Grooved Top,	Size (WxDxH)	Volts	Watts	Amps
	Flat Bottom	14 ¹ / ₂ " x 26" x 23 ¹ / ₂ "	208	5824	28.0
6900A-208-GG	Grooved Top, Grooved Bottom	14 ¹ /2" x 26" x 23 ¹ /2"	208	5824	28.0
6900A-208-FF	Flat Top, Flat Bottom	14 ¹ / ₂ " x 26" x 23 ¹ / ₂ "	208	5824	28.0
6900A-240-GF	Grooved Top, Flat Bottom	14 ¹ / ₂ " x 26" x 23 ¹ / ₂ "	240	5760	24.0
6900A-240-GG	Grooved Top, Grooved Bottom	14 ¹ / ₂ " x 26" x 23 ¹ / ₂ "	240	5760	24.0
6900A-240-FF	Flat Top, Flat Bottom	14 ¹ / ₂ " x 26" x 23 ¹ / ₂ "	240	5760	24.0

Height with hood up 281/2".







Arriving preprogrammed with four standard heating cycles, the PaniniPro high-speed sandwich press also includes a flash drive with a user-friendly software capability that makes it easy to change the heating cycles in tandem with your sandwich menu.



Every PaniniPro comes with a spatula (model 48826) that's both flexible and durable, yet won't harm the integrity of the plates' nonstick coating.

suggested uses

This compact workhorse brings a whole new dynamic to sandwich shops, coffee shops, c-stores, fast-casual chains and other retail food operations looking to capitalize on the hot-sandwich trend. It takes little time and space to expand your menu and serve toasty paninis, ciabattabread sandwiches, flatbread sandwiches, quesadillas, burritos, breakfast sandwiches, Cuban wraps and more.

Redesigned microwave system—

Improves energy distribution for a 17% reduction in already super-fast cook times!



Features—The top and bottom plates are available with grooved or flat surfaces in your choice of pairings. A spring-loaded upper plate moves to ensure uniform plate-to-food contact with sandwiches of variable thickness. All food-contact surfaces have an engineered nonstick coating.



8 push-button electronic controls and digital display make operation extremely simple.

Nemco Food Equipment's 6900A-model family has been evaluated and found to comply with Section 59 of UL710B, the Standard for Recirculating Systems, formerly Section 14 of UL197, 8th Edition, Supplement SB, and paragraph 4.1.1.2 of NFPA96, the Standard for Ventilation Control and Fire Protection of Commercial Cooking Appliances.

paniniPro: features

Easy to 'Install'

This is a true plug-and-play operation, with a super compact design, including a mere 14-inch wide face, that can find a spot on almost any countertop.

High Food Quality

The flexibility of microwave and conduction heating optimizes food quality and speed.

Easy to Customize

Set multiple cooking cycles to match your menu using a computer or tablet, then, transfer the programming right into your PaniniPro by uploading it with a USB stick.

Easy to Clean

An engineered nonstick PTFE coating on all food-contact surfaces makes sandwich flipping and handling easy. That, combined with a stainless-steel exterior and a simple filter-cleaning reminder, makes daily cleanup and maintenance a breeze.



Amazing Versatility

Masterfully heats all sandwich types, using all kinds of breads, from grilled cheese to quesadillas.

Combines a top and bottom plate, each available with a flat or grooved surface and independently temperature adjustable up to 500°F, with selectable microwave assist.

Plus, the top plate is spring loaded to ensure uniform plate-to-food contact with sandwiches of varying thicknesses.

High-Throughput Capacity

The 110 square-inch (10.5" x 10.5") surface can heat four Texas-toast-sized sandwiches at once in only seconds.

Easy to Use

Push a button and close the lid. Menu selections can be displayed with numbers or pictures. LED display provides easy operator feedback.

Convenient Stability & Clearance

Heavy-duty, stainless-steel legs with rubber feet grip the counter surface to prevent sliding during use and provide four inches of clearance for easy wipe-down of the work area around the unit.



Double-panel service access allows technicians to easily reach internal components from either side, shortening downtime in a rare service event.



Warming

bulb warmers



Freestanding Infrared Bulb Warmers

Hold baked, fried, steamed or broiled foods at ready-to-eat temperatures and still keep the food's appetizing appearance over time. Attractive, timeless reflector-hood design fits every interior. Custom configurations available with different bulbs (see optional accessories below) and colored reflector hoods (see color swatches on opposite page).

Model # 6000A-1* 6000A-1A* 6000A-2* 6000A-2B* 6000A-2TP* 6000A-3* 220-Volt mod	Description Single Bulb, Adjustable Height Single Bulb, Adjustable Height, Compact Two Bulb, Adjustable Height, Grey Two Bulb, Adjustable Height, Black Two Bulb Heat Lamp w/Pan & Screen Set Three Bulb, Adjustable Height dels also available. Call for details.	Volts 120 120 120 120 120 120	Watts 250 250 500 500 500 750	Amps 2.1 2.1 4.2 4.2 4.2 6.3
Clamp-On	Units			
6004-1	Single Bulb, Clamp	120	250	2.1
6004-2	Two Bulb, Clamp	120	500	4.2
6004-4	Single Bulb, Adjustable Gooseneck, Grey	120	250	2.1
Counter U	nits			
6008-2	Two Bulb Counter Unit	120	500	4.2
6008-3	Three Bulb Counter Unit	120	750	6.3
6008-4	Four Bulb Counter Unit	120	1000	8.3
6008-5	Five Bulb Counter Unit	120	1250	10.4
6008-6	Six Bulb Counter Unit	120	1500	12.5
6008-7	Seven Bulb Counter Unit	120	1750	14.6
6008-8	Eight Bulb Counter Unit	120	2000	16.7
6009-2*	Two Bulb Counter Unit, w/Tray	120	500	4.2
6009-3*	Three Bulb Counter Unit, w/Tray	120	750	6.3
6009-4*	Four Bulb Counter Unit, w/Tray	120	1000	8.3
6009-5*	Five Bulb Counter Unit, w/Tray	120	1250	10.4
6009-6*	Six Bulb Counter Unit, w/Tray	120	1500	12.5

Optional Accessories

Model # Description

66089 Pan and Screen Set, 12"x 20" 66091

Tray for 6000A-1 & 2











Model #

6002

6003

6006-2

6006-3

6006-4

6006-5

6006-6

6006-7

6006-8

(NSF)





Model 6002

Model 6015-DP

Combines a 250-watt infrared bulb with a convenient, NSF flexible gooseneck. Cutting board detaches for easy cleanup.

Model # 6015	Description Single Bulb, Polyethylene Base, Grey	Volts 120	Watts 250	Amps 2.1
6015-DP	Single Bulb, Polyethylene Base w/Deeper Groove on Base, Heat Lamp Centered	120	250	2.1
6016	Single Bulb, Wood Base, Grey	120	250	2.1

suggested uses

Model 6016

The perfect choice for serving moist, juicy slices of roast beef, prime rib, turkey, ham, leg of lamb and other large cuts at buffets and server stations.

Carving Station Bulb Warmers

Suspended Infrared Bulb Warmers

Single Bulb, 6' Cord

Single Bulb, 4' Tube

Two Bulb, Single Row

Three Bulb, Single Row

Four Bulb, Single Row

Five Bulb, Single Row

Six Bulb, Single Row

Seven Bulb, Single Row

Eight Bulb, Single Row

Volts

120

120

120

120

120

120

120

120

120

Watts Amps

2.1

2.1

4.2

6.3

8.3

10.4

12.5

14.6

16.7

250

250

500

750

1000

1250

1500

1750

2000

Description

Suspension Bar, Chain-Hung Models

Ceiling-Mount Models

high-density polyethylene cutting board. Adjustable, 30-inch-high,

Optional Accessories

Model #	Description
66103	Case of 12, 250-Watt Bulbs (Clear)
66104	Case of 12, 250-Watt Bulbs (Red)
66118	Case of 12, 250-Watt Bulbs (Clear, Shatter-Resistant)
_	



infrared strip heaters

On-Off Switch

The Nemco line is as expansive as any other line on the market!—boasting more model and feature options than ever, including units with single- or dual-bulb warming, complementary incandescent showcase lighting, remote-control, cord-and-plug power and more. All hold foods at optimum serving temperature without drying or overcooking to ensure better-tasting foods and better-looking presentations. Hanging, base-mounted and pass-through designs fit most locations, as well as permanent and temporary requirements. Durable aluminum shell for easy cleanup. Available with infinite temperature control for varying low-, medium- and high-heat settings.

Single Elemei	nt				Dual Element				
Model #	Description	Volts	Watts	Amps	Model #	Description	Volts	Watts	Amps
6150-24	24" Single	120	500	4.2	6150-24-D	24" Dual	120	1000	8.3
6150-24-208	24" Single	208	500	2.4	6150-24-D-208	24" Dual	208	1000	4.8
6150-24-240	24" Single	240	500	2.1	6150-24-D-240	24" Dual	240	1000	4.2
6150-36	36" Single	120	850	7.1	6150-36-D	36" Dual	120	1700	14.2
6150-36-208	36" Single	208	850	4.1	6150-36-D-208	36" Dual	208	1700	8.2
6150-36-240	36" Single	240	850	3.5	6150-36-D-240	36" Dual	240	1700	7.1
6150-48	48" Single	120	1100	9.2	6150-48-D-208	48" Dual	208	2200	10.6
6150-48-208	48" Single	208	1100	5.3	6150-48-D-240	48" Dual	240	2200	9.2
6150-48-240	48" Single	240	1100	4.6	6150-60-D-208	60" Dual	208	2800	13.5
6150-60	60" Single	120	1400	11.7	6150-60-D-240	60" Dual	240	2800	11.7
6150-60-208	60" Single	208	1400	6.7	6150-72-D-208	72" Dual	208	3450	16.6
6150-60-240	60" Single	240	1400	5.8	6150-72-D-240	72" Dual	240	3450	14.4
6150-72	72" Single	120	1725	14.4	D 151 (24.12.14			
6150-72-208	72" Single	208	1725	8.3	Dual Element	•	400	4000	
6150-72-240	72" Single	240	1725	7.2	6150-24-DL	24" Dual, w/Lights	120	1080	9.0
Single Elemer	nt with Lighte				6150-24-DL-208 6150-24-DL-240	24" Dual, w/Lights 24" Dual, w/Lights	208 240	1080 1080	5.2 4.5
6150-24-SL	24" Single, w/Lights	120	580	4.8	6150-36-DL	36" Dual, w/Lights	120	1780	14.8
6150-24-SL-208	24" Single, w/Lights	208	580	2.8	6150-36-DL-208	36" Dual, w/Lights	208	1780	8.6
6150-24-SL-240	24" Single, w/Lights	240	580	2.4	6150-36-DL-240	36" Dual, w/Lights	240	1780	7.4
6150-36-SL	36" Single, w/Lights	120	930	7.8	6150-48-DL-208	48" Dual, w/Lights	208	2320	11.2
6150-36-SL-208	36" Single, w/Lights	208	930	4.5	6150-48-DL-240	48" Dual, w/Lights	240	2320	9.7
6150-36-SL-240	36" Single, w/Lights	240	930	3.9	6150-60-DL-208	60" Dual, w/Lights	208	2960	14.2
6150-48-SL	48" Single, w/Lights	120	1220	10.2	6150-60-DL-240	60" Dual, w/Lights	240	2960	12.3
6150-48-SL-208	48" Single, w/Lights	208	1220	5.9	6150-72-DL-208	72" Dual, w/Lights	208	3610	17.4
6150-48-SL-240	48" Single, w/Lights	240	1220	5.1	6150-72-DL-240	72" Dual, w/Lights	240	3610	15.0
6150-60-SL	60" Single, w/Lights	120	1560	13.0	AUG.	72 2 a a . , 11, 2 . g		00.0	
6150-60-SL-208	60" Single, w/Lights	208	1560	7.5	(NSF) ((T)) _{us}				
6150-60-SL-240	60" Single, w/Lights	240	1560	6.5	Vano.				
6150-72-SL	72" Single, w/Lights	120	1885	15.7					
6150-72-SL-208	72" Single, w/Lights	208	1885	9.1					
6150-72-SL-240	72" Single, w/Lights	240	1885	7.9			- 6		
,with the	5 , . 5						- V	1	
(NSF) ((T)) _{us}			-			1	_		

Model 6150-72-DL, Dual with Lights

Infinite Control

Single Element, Infinite Control

Description	Volts	Watts	Amps
24" Infinite Control, Single	120	500	4.2
24" Infinite Control, Single	208	500	24
24" Infinite Control, Single	240	500	2.1
36" Infinite Control, Single	120	850	7.1
36" Infinite Control, Single	208	850	4.1
36" Infinite Control, Single	240	850	3.5
48" Infinite Control, Single	120	1100	9.2
48" Infinite Control, Single	208	1100	5.3
48" Infinite Control, Single	240	1100	4.6
60" Infinite Control, Single	120	1400	11.7
60" Infinite Control, Single	208	1400	6.7
60" Infinite Control, Single	240	1400	5.8
72" Infinite Control, Single	120	1440	12.0
72" Infinite Control, Single	208	1440	6.9
72" Infinite Control, Single	240	1440	6.0
	24" Infinite Control, Single 24" Infinite Control, Single 24" Infinite Control, Single 36" Infinite Control, Single 36" Infinite Control, Single 36" Infinite Control, Single 48" Infinite Control, Single 48" Infinite Control, Single 48" Infinite Control, Single 60" Infinite Control, Single 60" Infinite Control, Single 60" Infinite Control, Single 72" Infinite Control, Single	24" Infinite Control, Single 208 24" Infinite Control, Single 208 24" Infinite Control, Single 240 36" Infinite Control, Single 120 36" Infinite Control, Single 208 36" Infinite Control, Single 240 48" Infinite Control, Single 120 48" Infinite Control, Single 208 48" Infinite Control, Single 208 48" Infinite Control, Single 240 60" Infinite Control, Single 120 60" Infinite Control, Single 208 60" Infinite Control, Single 240 72" Infinite Control, Single 120 72" Infinite Control, Single 208	24" Infinite Control, Single 208 500 24" Infinite Control, Single 208 500 24" Infinite Control, Single 240 500 36" Infinite Control, Single 120 850 36" Infinite Control, Single 208 850 36" Infinite Control, Single 240 850 48" Infinite Control, Single 120 1100 48" Infinite Control, Single 208 1100 48" Infinite Control, Single 240 1100 60" Infinite Control, Single 240 1100 60" Infinite Control, Single 220 1400 60" Infinite Control, Single 208 1400 60" Infinite Control, Single 240 1400 72" Infinite Control, Single 120 1440 72" Infinite Control, Single 208 1440

Dual Element, Infinite Control

Model #	Description	Volts	Watts	Amps
6151-24-D	24" Infinite Control, Dual	120	1000	8.3
6151-24-D-208	24" Infinite Control, Dual	208	1000	4.8
6151-24-D-240	24" Infinite Control, Dual	240	1000	4.2
6151-36-D	36" Infinite Control, Dual	120	1700	14.2
6151-36-D-208	36" Infinite Control, Dual	208	1700	8.2
6151-36-D-240	36" Infinite Control, Dual	240	1700	7.1
6151-48-D-208	48" Infinite Control, Dual	208	2200	10.6
6151-48-D-240	48" Infinite Control, Dual	240	2200	9.2
6151-60-D-208	60" Infinite Control, Dual	208	2800	13.5
6151-60-D-240	60" Infinite Control, Dual	240	2800	11.7





Cord & Plug Included

Single Element, On-Off Switch

J .				
Model #	Description	Volts	Watts	Amps
6150-24-CP	24" w/Cord & Plug	120	500	4.2
6150-36-CP	36" w/Cord & Plug	120	850	7.1
6150-48-CP	48" w/Cord & Plug	120	1100	9.2
6150-60-CP	60" w/Cord & Plug	120	1400	11.7
6150-72-CP	72" w/Cord & Plug	120	1725	14.4

Single Element, Infinite Control

09.0 =				
Model #	Description	Volts	Watts	Amps
6151-24-CP	24" Infinite Control, w/Cord & Plug	120	500	4.2
6151-36-CP	36" Infinite Control, w/Cord & Plug	120	850	7.1
6151-48-CP	48" Infinite Control, w/Cord & Plug	120	1100	9.2
6151-60-CP	60" Infinite Control, w/Cord & Plug	120	1400	11.7
6151-72-CP	72" Infinite Control, w/Cord & Plug	120	1440	12.0







infrared strip heaters

Remote Control

Single Element, Remote Control

Model #	Description	Volts	Watts	Amps
6155-24	24" Remote, Single	120	500	4.2
6155-24-208	24" Remote, Single	208	500	2.4
6155-24-240	24" Remote, Single	240	500	2.1
6155-36	36" Remote, Single	120	850	7.1
6155-36-208	36" Remote, Single	208	850	4.1
6155-36-240	36" Remote, Single	240	850	3.5
6155-48	48" Remote, Single	120	1100	9.2
6155-48-208	48" Remote, Single	208	1100	5.3
6155-48-240	48" Remote, Single	240	1100	4.6
6155-60	60" Remote, Single	120	1400	11.7
6155-60-208	60" Remote, Single	208	1400	6.7
6155-60-240	60" Remote, Single	240	1400	5.8
6155-72	72" Remote, Single	120	1725	14.4
6155-72-208	72" Remote, Single	208	1725	8.3
6155-72-240	72" Remote, Single	240	1725	7.2

Single Element, Remote Control with Lights

6155-24-SL	24" Remote, Single, w/Lights	120	580	4.8
6155-24-SL-208	24" Remote, Single, w/Lights	208	580	2.8
6155-24-SL-240	24" Remote, Single, w/Lights	240	580	2.4
6155-36-SL	36" Remote, Single, w/Lights	120	970	8.1
6155-36-SL-208	36" Remote, Single, w/Lights	208	970	4.7
6155-36-SL-240	36" Remote, Single, w/Lights	240	970	4.0
6155-48-SL	48" Remote, Single, w/Lights	120	1220	10.2
6155-48-SL-208	48" Remote, Single, w/Lights	208	1220	5.9
6155-48-SL-240	48" Remote, Single, w/Lights	240	1220	5.1
6155-60-SL	60" Remote, Single, w/Lights	120	1560	13.0
6155-60-SL-208	60" Remote, Single, w/Lights	208	1560	7.5
6155-60-SL-240	60" Remote, Single, w/Lights	240	1560	6.5
6155-72-SL	72" Remote, Single, w/Lights	120	1885	15.7
6155-72-SL-208	72" Remote, Single, w/Lights	208	1885	9.1
6155-72-SL-240	72" Remote, Single, w/Lights	240	1885	7.9

Dual Element, Remote Control

Model #	Description	Volts	Watts	Amps
6155-24-D	24" Remote, Dual	120	1000	8.3
6155-24-D-208	24" Remote, Dual	208	1000	4.8
6155-24-D-240	24" Remote, Dual	240	1000	4.2
6155-36-D	36" Remote, Dual	120	1700	14.2
6155-36-D-208	36" Remote, Dual	208	1700	8.2
6155-36-D-240	36" Remote, Dual	240	1700	7.1
6155-48-D-208	48" Remote, Dual	208	2200	10.9
6155-48-D-240	48" Remote, Dual	240	2200	9.2
6155-60-D-208	60" Remote, Dual	208	2800	13.5
6155-60-D-240	60" Remote, Dual	240	2800	11.7
6155-72-D-208	72" Remote, Dual	208	3450	16.6
6155-72-D-240	72" Remote, Dual	240	3450	14.4

Dual Element, Remote Control with Lights

		-			
6155-24-DL	24" Remote, Dual, w/Lights	120	1080	9.0	
6155-24-DL-208	24" Remote, Dual, w/Lights	208	1080	5.2	
6155-24-DL-240	24" Remote, Dual, w/Lights	240	1080	4.5	
6155-36-DL	36" Remote, Dual, w/Lights	120	1780	14.8	
6155-36-DL-208	36" Remote, Dual, w/Lights	208	1780	8.6	
6155-36-DL-240	36" Remote, Dual, w/Lights	240	1780	7.4	
6155-48-DL-208	48" Remote, Dual, w/Lights	208	2320	11.2	
6155-48-DL-240	48" Remote, Dual, w/Lights	240	2320	9.7	
6155-60-DL-208	60" Remote, Dual, w/Lights	208	2960	14.2	
6155-60-DL-240	60" Remote, Dual, w/Lights	240	2960	12.3	
6155-72-DL-208	72" Remote, Dual, w/Lights	208	3610	17.4	
6155-72-DL-240	72" Remote, Dual, w/Lights	240	3610	15.0	







suggested uses

Hold foods at proper temperatures until you are ready to serve. A favorite for French fries, rice dishes, baked potatoes, fried chicken, pizza and large pans of food. Also works well as a plate or cup warmer.





Heater with Base Model

Model #	Description	Volts	Watts
6152-24	24" Steel Heater on Base	120	500

Optional Accessories

Model #	Description
---------	-------------

66089 Pan and Screen Set, 12" x 20"

66091 Tray for 6152-24

66099 Wire Leg Kit-Height 16"





Remote-Control Boxes

Remotes available for single and dual units, and your choice of an on-off toggle switch or infinite temperature control.

Model #	Description	Volts
69007	1- On-Off Power Switch, 1- Pilot Light (indicates element on)	120
69008	1- On-Off Power Switch, 1- Pilot Light (indicates element on), 1- Infinite Control (adjustable temperature)	120
69007-2	2- On-Off Power Switches (elements),1- On-Off Power Switch (lights),2- Pilot Lights (indicates elements on)	120
69008-2	1- On-Off Power Switch, 2- Pilot Lights (indicates elements on), 2- Infinite Control (adjustable temperature	e) 120

208/240-Volt models are also available. Add -240 to model number when ordering.

Mounting Options _____





Model 6150-24, with hanging brackets (hanging brackets are included in all models)

warmers countertop cookers & warmers

suggested uses

Ideal for serving vegetables, stir-fry, casseroles, lasagna and other items in buffet lines and catering applications. Accepts a 12" x 20" full-size pan or fractional-size pans.





Model 6055A-43

Countertop Warmers

Add side dishes and entrées to existing buffet lines or create entirely new temporary buffet lines quickly and easily with Nemco's full-size countertop warmers. You'll enjoy greater menu flexibility and the ability to respond efficiently to changing menu requirements. Plus the reliable adjustable thermostat helps ensure that food held in serving lines is always within your food-safety temperature guidelines. Unique heating-element design provides even heat distribution to prevent "hot spots." Heavy-duty stainless-steel well.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
6055A*	Full-Size Warmer	14 ⁵ / ₈ " x 23 ¹ / ₂ " x 9"	120	1200	10.0
6055A-CW	Full-Size Cooker & Warmer	$14^{5}/8$ " x $23^{1}/2$ " x $10^{1}/2$ "	120	1500	12.5
6055A-43	4/3 Size Warmer	$14^{5}/8$ " x $30^{5}/8$ " x $10^{1}/2$ "	120	1500	12.5

Uptional	Accessories
Model#	Description
66092	Two-Hole Adapter Plates for One 7 Quart & One 11 Quart Inset (Fits 6055A)
66093	Two-Hole Adapter Plates for Two 7 Quart Insets
66095	20" Adapter Bar
66096	12" Adapter Bar
66097	6" Adapter Bar
67763	Two-Hole Adapter Plates for Two 11 Quart Insets (Fits 6055A-43)
67860	Three-Hole Adapter Plates for Three 4 Quart Insets (Fits 6055A)
68591	Three-Hole Adapter Plates for Three 7 Quart Insets (Fits 6055A-43)
68592	Four-Hole Adapter Plates for Four 4 Quart Insets (Fits 6055A-43)
All Nemco	cooker/warmers are listed NSE/ANSI Standard 4 making them certified

rethermalization equipment." 230-Volt CE models are also available. Call for details.













Attractive enough for serving lines. Round warmers keep soups, gravies, BBQ sauce, hot dressings and dessert toppings warm and appetizing.



No drip rim.



Model 6110A-ICL

Countertop Cookers & Warmers

Unique heating-element design provides even distribution to prevent "hot spots." Twin warmers have separate thermostats and balanced heat systems for maximum control and convenience. Stainless-steel construction ensures durability, prevents pitting and staining, and stands up to detergents, hard water and corrosion.

Round Warmers

noulla vvai	lilei2				
Model #	Description	Size $(W \times D \times H)$	Volts	Watts	Amps
6100A	7 Quart	10" x - x 9 ⁵ / ₈ "	120	550	4.6
6100A-ICL	7 Quart w/Inset, Cover, Ladle	10" x - x 13 ¹ / ₂ "	120	550	4.6
6101A	11 Quart	12 ¹ / ₂ " x - x 9 ⁵ / ₈ "	120	750	6.3
6101A-ICL	11 Quart w/Inset, Cover, Ladle	12 ¹ / ₂ " x - x 13 ¹ / ₂ "	120	750	6.3
Round Coo	ker Warmers				
6102A	7 Quart	10" x - x 9 ⁵ / ₈ "	120	1050	8.8
6102A-ICL	7 Quart w/Inset, Cover, Ladle	10" x - x 13 ¹ / ₂ "	120	1050	8.8
6103A	11 Quart	12 ¹ / ₂ " x - x 9 ⁵ / ₈ "	120	1250	10.4
6103A-ICL	11 Quart w/Inset, Cover, Ladle	12 ¹ / ₂ " x - x 13 ¹ / ₂ "	120	1250	10.4
Countertop	Warmers				
6110A	4 Quart, Single Well	$8^{7}/8$ " x $9^{3}/4$ " x $9^{7}/8$ "	120	350	2.9
6110A-ICL	4 Quart w/Inset, Cover, Ladle	8 ⁷ / ₈ " x 9 ³ / ₄ " x 13 ¹ / ₂ "	120	350	2.9
6120A	4 Quart, Twin Well	18 ¹ / ₂ " x 10" x 9 ⁷ / ₈ "	120	700	5.8
6120A-ICL	4 Quart w/Inset, Cover, Ladle	18 ¹ / ₂ " x 10" x 13 ¹ / ₂ "	120	700	5.8
6120A-CW	4 Quart Cooker/ Warmer, Twin Well	18 ¹ / ₂ " x 10" x 9 ⁷ / ₈ "	120	1000	8.3
	4 Quart Cooker/ Warmer, Twin Well w/Inset, Cover, Ladle	18 ¹ /2" x 10" x 13 ¹ /2"	120	1000	8.3

Optional Accessories

Description	Fits Models
Inset, Cover and Ladle Set (4 quart)	6110A & 6120A
Inset, Cover and Ladle Set (7 quart)	6100A & 6102A
Inset, Cover and Ladle Set (11 quart)	6101A & 6103A
	Inset, Cover and Ladle Set (4 quart) Inset, Cover and Ladle Set (7 quart)

All Nemco cooker/warmers are listed NSF/ANSI Standard 4, making them certified "rethermalization equipment." 230-Volt CE models are also available. Call for details.





Heat, refresh and serve hundreds of hot foods, from blueberry muffins, to beef stew, to Mexican burritos, to lobster dinners. You name it. If it's leftover or frozen, it can taste like it's freshly cooked once again.



Fresh-O-Matic by Nemco

Instantly thermalize your precooked and frozen baked goods, meats, seafood, veggies, pasta and more with the reliable, easy-to-use Fresh-O-Matic by Nemco. When it comes to food quality, you can't beat fresh-made. But with the Fresh-O-Matic, you can match it—uses superhot steam to instantly return moist heat to cold, precooked foods!

Model # Size (WxDxH) Description Volts Watts Amps 6625B Fresh-O-Matic by Nemco161/2" x 12" x 115/8" 120 1500 12.5







suggested uses

Primed for virtually any cold foods you want to zap into a hot, fresh, plate-ready state—instantly! Ideal for buns, rolls, breads and other baked goods, and just perfect for tortillas. Great for melting cheese or reheating precooked seafood, meats, pasta, fruits, veggies and more!



Super Shot Countertop Steamer

This powerful little appliance could wind up being one of the most versatile tools in your entire kitchen. The Super Shot reheats foods and restores their fresh-made flavor in seconds! Make day-old breads, buns and baked goods taste like they just came from the oven. It's ridiculously easy to operate. Simply plug it into a standard outlet, fill the reservoir with tap water, then use the push-button to deliver a pulse of amazing steam. Made of commercial-grade stainless steel and cast aluminum.

Model # Description Size (WxDxH) Volts Watts Amps 6600 **Super Shot Steamer** 16¹/₂" x 17¹/₄" x 8¹/₄" 120 1800 15.0

230-Volt model is also available. Call for details.





Use one Nemco Mini Steam Table in place of several individual units to keep soups, sauces, gravies, stews and other like foods at the perfect temperature. Adapter plates provide maximum versatility on serving lines, allowing complete meal presentations, such as ribs with dipping sauce, mashed potatoes and gravy, plus many other side dishes.

Mini Steam Table

Mix-and-match adapter plates allow for more than six configurations to meet almost any serving need. Extra deep wells hold the largest pots and pans. Temperature range of 100°F to 200°F. Stainless-steel construction ensures durability and resists pitting and staining. Features "power on" indicator lights and back-mounted, 6-foot cord.

Model #	Size (WxDxH)	Volts	Watts	Amps
6060A	27 ¹ / ₂ " x 24 ¹ / ₂ " x 12 ¹ / ₂ "	120	1800	15.0


Adapter Plates and Optional Accessories

Model # 67339	Description Holds Two 12" x 20" Steam Table Pans
67409	Holds Four 71/4 Quart Round Inset Pans
67410	Holds Two 11 Quart and Two 41/8 Quart Round Inset Pans
67411	Holds One 12" x 20" Steam Table Pan and Two 7 ¹ / ₄ Quart Round Inset Pans
67412	Holds One 11 Quart Round Inset Pan, Two 71/4 Quart Round Inset Pans and One 41/8 Quart Round Inset Pan
67413	Holds One 12" x 20" Steam Table Pan and Two 41/8 Quart Round Inset Pans
66785	Set of Four Nickel Plated, Adjustable Legs





Adapter Plates



hot plates



Model 6310-1



Model 6310-2



Model 6310-3-240



Model 6311-4-240

Hot Plates

Solid-top, cast-iron French burners heat up quickly and evenly, with six heat settings that can take you from a simmer to a boil in minutes. Horizontal and vertical configurations with one-, two- and four-burner setups fit most spaces. Multiple burners offer heating versatility. Right burner on the horizontal is a 1500-watt cooker, while the 500-watt left burner is perfect for warming. Vertical units have the cooker in the front. All models equipped with adjustable feet for added convenience.

Single Burners

omgio Dai					
Model #	Description	Size $(W \times D \times H)$	Volts	Watts	Amps
6310-1	Single Burner	12" x 13 ¹ / ₂ " x 5 ¹ / ₈ "	120	1500	12.5
6310-1-240	Single Burner	12" x 13 ¹ / ₂ " x 5 ¹ / ₈ "	240	2000	8.3
Double Bu	irners				
6310-2	Horizontal Double Burner	24 ¹ / ₈ " x 13 ¹ / ₂ " x 5 ¹ / ₈ "	120	2000	16.7
6310-2-240	Horizontal Double Burner	24 ¹ / ₈ " x 13 ¹ / ₂ " x 5 ¹ / ₈ "	240	3000	12.5
6310-3	Vertical Double Burner	12 ¹ /8" x 25 ¹ /2" x 5 ¹ /8"	120	2000	16.7
6310-3-240	Vertical Double Burner	12 ¹ /8" x 25 ¹ /2" x 5 ¹ /8"	240	3000	12.5
6311-1-240	Raised Vertical Double Burner	11 ³ / ₈ " x 24 ¹ / ₈ " x 14 ¹ / ₂ "	240	3000	12.5
Four Burne	ers				
6311-4-240				5700 .85kw	23.8
	2 Back Burners			2.0kw	






suggested uses

A popular, versatile choice for serving lines and tableside and demonstration cooking. Perfect for sautéed and pan-fried foods, such as omelets, crepes and stir-fry. Also ideal for cooking and holding soups, stews and sauces.





induction | kitchen essentials

induction range cookers & warmers



Game-Changing Efficiency. Chef-Worthy Performance.

Nemco's extraordinary induction ranges mimic the chef-level cooking performance of conventional gas ranges, but at a significantly higher energy efficiency that can put thousands of dollars to your bottom line every year.

Innovative induction technology—only from Nemco—cooks just like gas, but uses far less energy!

Induction activates a magnetic field to energize cookware in a way

that literally turns the pan into its own heating element, transferring 90% of the energy directly into heating the food, while keeping the "burner" surface relatively cool to the touch. Unlike other induction brands, however, only Nemco features a "continuous field" that maintains the energizing effect, even when the pan is lifted to perform all sorts of cooking techniques.

Drop-In Warmers

A look so simple, sophisticated and smooth, Nemco's drop-in induction warmer models are perfect in virtually any application, especially high-end front-of-the-house settings.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
9100	Drop-In Warmer Integrated Touch Controls	14 ⁹ / ₁₆ " x 11 ⁵ / ₈ " x 3 ¹ / ₈ "	120	350	2.9
9100-1	Drop-In Warmer Integrated Touch Controls	14 ⁹ /16" x 11 ⁵ /8" x 3 ¹ /8"	208/240	400	1.9/1.7
9101	Drop-In Warmer Separate Mounted Controls	14 ⁹ /16" x 11 ⁵ /8" x 3 ¹ /8"	120	350	2.9
9101-1	Drop-In Warmer Separate Mounted Controls	14 ⁹ / ₁₆ " x 11 ⁵ / ₈ " x 3 ¹ / ₈ "	208/240	400	1.9/1.7



Drop-In Ranges

Achieve and easily maintain a sleek, clean look on your range top with Nemco's drop-in models that sit flush with the counter surface and boast exceptional durability.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
9110	Drop-In Range Integrated Touch Controls	14 ⁹ /16" x 11 ⁵ /8" x 3 ¹ /8"	120	1800	15.0
9110-C*	Drop-In Range Integrated Touch Controls	14 ⁹ /16" x 11 ⁵ /8" x 3 ¹ /8"	120	1800	15.0
9110-1	Drop-In Range Integrated Touch Controls	14 ⁹ /16" x 11 ⁵ /8" x 3 ¹ /8"	208/240	1800	8.7/7.5
9111-1	Drop-In Range Integrated Touch Controls	14 ⁹ /16" x 11 ⁵ /8" x 3 ¹ /8"	208/240	2600	12.5/10.8
9120	Drop-In Range Separate Mounted Controls	14 ⁹ /16" x 11 ⁵ /8" x 3 ¹ /8"	120	1800	15.0
9120-C*	Drop-In Range Separate Mounted Controls	14 ⁹ /16" x 11 ⁵ /8" x 3 ¹ /8"	120	1800	15.0
9121-1	Drop-In Range Separate Mounted Controls	14 ⁹ /16" x 11 ⁵ /8" x 3 ¹ /8"	208/240	2600	12.5/10.8
9122-1	Drop-In Range Separate Mounted Controls	14 ⁹ /16" x 11 ⁵ /8" x 3 ¹ /8"	208/240	3500	16.8/14.6
\sim $-$					



Model 9100



Model 9101



The glass features commercial-grade impact-resistance and doesn't burn spilled foods that otherwise stain.



*Canada.



Model 9130

Portable Ranges

Take the show on the road. Nemco's portable units are great for temporary cooking venues or operations with rush times that can stress kitchen space and capacity.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
9130	Portable Range	20 ¹ / ₂ " x 12" x 4 ¹ / ₂ "	120	1800	15.0
9130-C*	Portable Range	20 ¹ / ₂ " x 12" x 4 ¹ / ₂ "	120	1800	15.0
9131-1	Portable Range	20 ¹ / ₂ " x 12" x 4 ¹ / ₂ "	208/240	2600	12.5/10.8
9132-1	Portable Range	20 ¹ / ₂ " x 12" x 4 ¹ / ₂ "	208/240	3500	16.8/14.6

All models available with optional TempMaster $^{\text{\tiny{M}}}$ temperature probe. *Canada







Even Better Than Cooking with Gas

With Nemco's proprietary TempMaster™—an optional external temperature probe—users can program portable induction ranges to cook to, and then hold, foods at a precise temperature. That's control you can't even get with gas!



'armın merchandising

open-view merchandisers



A Window Into Higher Food Sales

For all that operators love about the hallmark functionality, durability and investment return of Nemco equipment, when it comes to retail food sales, the bottom line begins and ends with the food—not the equipment.

Understanding this—and continuously engineering to it—is what makes Nemco different.

Out of this philosophy was born the Open-View Merchandiser, in which the design was less about what we can add and more about what we can take away.

So, the question is—Will missing front corner posts, a hidden control panel, a slimmer steel frame and sharper, brighter graphics boost sales and profits?

Well, seeing is believing.



Open-View Merchandisers

Nemco's Open-View Merchandiser series is specially designed for a clean, sleek look that places every point of emphasis on the one feature that does all the selling—the sizzling product inside. Less is more with a design that includes high-quality tempered glass, "invisible" front corner posts, stylish backlit graphic headers on all three sides, and strategically placed interior lighting. The Open-View Merchandiser comes standard with chunkier brushed stainless-steel legs that make it a real class act in retail food sales.

Model # 6420	Description Pizza Display Case Rotating, 3-Tier, w/12" Rack	Size (W x D x H) 17 ⁷ / ₈ " x 18 ¹ / ₄ " x 36"	Volts	Watts	Amps
6421	Pizza Display Case Rotating, 3-Tier, w/18" Rack	22" x 22" x 36"	120	1550	12.9
6422	Pizza Display Case Rotating, 4-Tier, w/18" Rack	22" x 22" x 36"	120	1550	12.9
6423	Pretzel Display Case Revolving, 2-Tier, 8-Prong Rack	22" x 22" x 36"	120	1550	12.9
6424	Hot Foods Display Case, Angled, 3-Tier, 15" Sq. Shelves	17 ⁷ /8" x 18 ¹ /4" x 36"	120	1550	12.9
6425	Hot Foods Display Case, Angled, 3-Tier, 19" Sq. Shelves	22" x 22" x 36"	120	1550	12.9







suggested uses

Nemco's countertop Open-View Merchandiser is a hot sales solution for convenient stores, concession stands, kiosks, clubhouses, snack shops and other high-traffic retail operations. Great for holding and showcasing prebaked pizza and pretzels, as well as pies and other baked goods.



Every nuance of the Open-View Merchandiser is designed to maintain a clean visual appeal, including the control panel, which nests inside a recessed compartment in the back and disappears behind a closable door panel.





pizza merchandisers



It's All About Your Food. Period.

Sure, a lot of thinking is behind Nemco's full line of countertop food-merchandising equipment. But when staring at the drawing board, all the design team ever sees is food.

The result has been units that are never overengineered. Rather, you get simple solutions that feature the most user-friendly controls, the highest degree of visibility, the easiest to clean interiors and exteriors, and the longest-lasting performance.

No wonder so many consider Nemco "the best value in merchandising."



(NSF) ((1))

Pizza Merchandisers

Three- and four-tiered units are ideal for displaying multiple products at once, while holding them at controlled temperatures for better flavor and appearance. Contemporary signage and lighted interior enhance presentation. Stainless-steel, tempered-glass construction. Water reservoir keeps foods moist. Other rack styles available.

Model # 6450	Description Rotating, 3-Tier	Size (WxDxH)	Volts	Watts	Amps
0100	Case w/12" Racks	18 ¹ / ₂ " x 18 ¹ / ₂ " x 33 ⁷ / ₈ "	120	1480	12.3
6450-4	Rotating, 4-Tier Case w/12" Racks	18 ¹ /2" x 18 ¹ /2" x 33 ⁷ /8"	120	1480	12.3
6451	Rotating, 3-Tier Case w/18" Racks	22 ¹ / ₄ " x 22 ¹ / ₄ " x 33 ⁷ / ₈ "	120	1480	12.3
6451-2	Rotating, 3-Tier, Self-Serve Case w/18" Racks	22 ¹ / ₄ " x 22 ¹ / ₄ " x 33 ⁷ / ₈ "	120	1480	12.3
6452	Rotating, 4-Tier Case w/18" Racks	22 ¹ / ₄ " x 22 ¹ / ₄ " x 33 ⁷ / ₈ "	120	1480	12.3
6452-2	Rotating, 4-Tier, Self-Serve Case w/18" Racks	22 ¹ / ₄ " x 22 ¹ / ₄ " x 33 ⁷ / ₈ "	120	1480	12.3

Optional Accessories

Model # Description

66785 Set of Four 4" Nickel Plated, Adjustable Legs

suggested uses

Small enough for most operations. Use for whole pizza, individual slices and boxed slices for fast, easy sales.



Pretzel Merchandisers

Two-tiered racks hold dozens of fresh, toasty pretzels that look absolutely tempting under the overhead lights (model 6453). Contemporary and stylish merchandiser signage increases traffic and impulse sales! Brushed stainless steel and tempered glass add durability and make cleaning easy.

Model #	Description	Size $(W \times D \times H)$	Volts	Watts	Amps
6403	Revolving Pretzel Warmer	15 ¹ / ₈ " x 18 ¹ / ₈ " x 27 ¹ / ₄ "	120	290	2.4
6453	Revolving Pretzel Warmer	22 ¹ / ₄ " x 22 ¹ / ₄ " x 33 ⁷ / ₈ "	120	1480	12.3

Optional Accessories

Model # Description

66785 Set of Four 4" Nickel Plated, Adjustable Legs



Model 6403 includes a shield over the light bulbs to protect them, while loading and unloading pretzels. The removable door easily lifts off for cleaning.

(NSF) (T)



suggested uses

Compact enough for theaters, convenience stores, concession stands and other high-traffic retail centers. Also great for bagels!



Model 6453 offers thermostatic control up to 200°F and incorporates a water reservoir to maintain humidity.

humidified merchandisers



New Meaning to a 'Soft Sell'

The simply undeniable truth of retail baked goods is that when the food goes dry, so do the sales. And, well, so does your brand.

That's why, for consistent, lasting 'soft-sell' performance, Nemco engineering went hard core with its latest humidified merchandiser.

The result is a unit that is as rugged-tough as it is artfully designed, promising your customers the moist, fresh, baked-good satisfaction they want, while delivering to you the equipment lifetime ROI you demand.



for c-stores, snack shops and a

host of other retail applications.

bagels, cookies and more.

Keeps fresh a wide range of baked

items, including croissants, muffins,

Humidified Merchandiser

Never let a muffin lose its moisture again! Keep your baked foods tasting good and looking good in this humidified merchandiser. An onboard water reservoir prevents your product from drying out, while two-way mirrors on both sides and the rear door make for maximum eye-catching appeal. Self-closing, slow-return doors ensure a complete closure to hold temperature and moisture, and avoid energy waste. Made of powder-coated stainless steel for durability. Comes with electronic controls for easy adjustments in temperature and humidity.

 Model #
 Description
 Size (WxDxH)
 Volts
 Watts
 Amps

 6470
 Heated Case
 29¹³/₁₅" x 28¹/₄" x 30⁵/₅"
 120
 1750
 14.6



Grab'n Go Merchandiser

"Compact" doesn't begin to describe the Grab'n Go. This one-of-a-kind merchandiser is specially designed with a narrow, vertical frame that, just like a book on a bookshelf, slides right into place on even the most congested checkout counters. Clear paneling, interior lighting and heated, angled shelves with interchangeable magnetic graphics showcase the food beautifully. Polycarbonate materials, stainless-steel construction and a powder-coat finish add durability.

 Model #
 Description
 Size (WxDxH)
 Volts
 Watts
 Amps

 6655
 Heated Case
 10¹/₅" x 17" x 24³/₅"
 120
 345
 2.9





suggested uses

Heated shelves make this a versatile little showcase unit, perfect for sandwiches, cookies, donuts, warm baked goods and all sorts of other "on the go" favorites.



Countertop Humidified Merchandiser

Never let your profit potential dry up. Nemco's humidified merchandiser combines a high-visibility showcase solution—complete with clear, tempered-glass panels, interior lighting, angled shelves and graphics—with a water reservoir that keeps baked goods and other warm foods moist and fresh for extended periods of time. Stainless-steel construction with powder-coating adds durability, while manual temperature and humidity controls add versatility.

Model # Description Size (WxDxH) Volts Watts Amps 6475 Heated Case 20" x 17" x 26" 120 826 6.9





suggested uses

This compact unit is perfect for c-stores, snack shops and a host of other retail applications. Keeps fresh a wide range of baked items, including croissants, muffins, bagels, cookies and more.



food merchandisers

suggested uses

Ideal for all kinds of sandwiches, donuts, baked goods, concession-type snack items and other warm, fresh-made foods.



suggested uses

These merchandisers are great for holding and showcasing pre-baked pizza and pretzels, as well as pies and other baked goods.





Model GS1400-25

Heated Snack Merchandiser

Incredibly space-efficient, the Heated Snack Merchandiser has a compact footprint that will fit virtually anywhere on your counter. Features a stainless-steel frame and tempered glass, an impact-resistant polycarbonate door, and heating elements made of Incoloy® nickel-based metal for high-temperature corrosion resistance. Temperature control heats up to 190°F.

Model#	Description	Size (WxDxH)	Volts	Watts	Amps
6457	Heated Case, w/Three Movable Square Shelves, (13"x 10 ¹ / ₄ ")	14" x 14" x 22"	120	390	3.3



Heated Food Merchandisers

Nemco's solid shelf model is a complete enclosure with no front corner posts to maximize visibility. An adjustable thermostat allows for heating a wide variety of baked goods and other warm foods. The bottom-warming shelves, in particular, are great for keeping crusts crisp on pizzas up to 16" in diameter. Header graphics add merchandising appeal.

Meanwhile, Nemco's pass-through merchandiser features front and back doors that give both your behind-the-counter staff and self-serve customers easy reach-in access. Warm, circulating air holds food above 150°F. Wire shelves are height- and angle-adjustable. Header graphics add merchandising appeal.

	Model #	Description	Size $(W \times D \times H)$	Volts	Watts	Amps
G	GS1400-16	2-Shelf, Wire Rack	18" x 18" x 25"	120	640	5.3
S	GS1400-16-2	2-Shelf, Wire Rack, Pass-Thru	18" x 18" x 25"	120	640	5.3
G	GS1400-25	4-Shelf, Wire Rack	18" x 18" x 34"	120	640	5.3
S	GS1400-25-2	4-Shelf, Wire Rack, Pass-Thru	18" x 18" x 34"	120	640	5.3
S	GS1410	2-Shelf, Solid Heated Shelf, Single Door	18" x 18" x 24"	120	260	2.2
\$	GS1415	3-Shelf, Solid Heated Shelf, Single Door	18" x 18" x 24"	120	421	3.5





G

suggested uses

Great for all kinds of high-traffic retail operations that want to showcase a wide variety of baked goods and other hot on-the-go favorites.



Closed Hot-Food Merchandisers

An extremely compact design and super-easy-to-open hinged doors make this a perfect customer-friendly merchandiser in an already crowded countertop. Keeps pretzels, pastries and other favorites warm. Header graphics add merchandising appeal.

	Model #	Description	Size $(W \times D \times H)$	Volts	Watts	Amp
,	GS1405	2-Shelf, Wire Rack,				
		Front Access	121/4" v 131/4" v 181/4"	120	300	25



suggested uses

Extremely versatile, the holding capability is perfect for virtually any hot-selling foods that are to be merchandised for extended periods of time, while the design fits perfectly in all sorts of high-volume venues, from commissaries and c-stores, to chains and even upscale caterers.



Open Hot-Food Merchandisers

These merchandisers feature a wide-open design that lets the food sell itself by staying clearly visible and easily accessible. Stainless-steel units are available that feature built-in overhead lighting and an adjustable thermostat or a slanted shelf that ensures 'next-in-line' items always slide forward to take the place of items removed for purchase.

	Model #	Description	Size (WxDxH)	Volts	Watts	Amps
S	GS1300-24	Flat 24"	21" x 25" x 20 ¹ / ₂ "	120	1500	12.5
2	GS1300-24-S	Slanted 24"	21" x 25" x 20 ¹ / ₂ "	120	1500	12.5









Extremely versatile, the holding capability is perfect for virtually any hot-selling foods you need to merchandise for extended periods of time, while the design fits perfectly in all sorts of high-volume venues, from commissaries and c-stores, to chains and even upscale caterers.





Model 6480-18S-B

Shelf Merchandisers

Finally! A food-merchandising solution that can really showcase hot foods by holding them at optimum temperatures for hours. Each shelf has its own top and bottom heating with independent thermostats to accommodate variable temperature settings. Features also include a lighted merchandising area, glass sides, adjustable divider rods for easy organization of food product, and an overall stainless-steel construction as part of Nemco's trademark commercialgrade durability design. Powder coating and custom graphic signage available.

Description	Size (WxDxH)	Volts	Watts	Amps
ıal Shelves				
18" Stainless	18" x 19 ³ / ₄ " x 21 ⁷ / ₈ "	120	860	7.2
18" Black	18" x 19 ³ / ₄ " x 21 ⁷ / ₈ "	120	860	7.2
24" Stainless	24" x 19 ³ / ₄ " x 24"	120	1160	9.7
24" Black	24" x 19 ³ / ₄ " x 24"	120	1160	9.7
30" Stainless	30" x 19 ³ / ₄ " x 24"	120	1460	12.2
30" Black	30" x 19 ³ / ₄ " x 24"	120	1460	12.2
36" Stainless	36" x 19 ³ / ₄ " x 24"	120	1800	15.0
36" Black	36" x 19 ³ / ₄ " x 24"	120	1800	15.0
Shelves				
18" Stainless	18" x 19 ³ / ₄ " x 25 ³ / ₈ "	120	860	7.2
18" Black	18" x 19 ³ / ₄ " x 25 ³ / ₈ "	120	860	7.2
24" Stainless	24" x 19 ³ / ₄ " x 27 ¹ / ₂ "	120	1160	9.7
24" Black	24" x 19 ³ / ₄ " x 27 ¹ / ₂ "	120	1160	9.7
30" Stainless	30" x 19 ³ / ₄ " x 27 ¹ / ₂ "	120	1460	12.2
30" Black	30" x 19 ³ / ₄ " x 27 ¹ / ₂ "	120	1460	12.2
36" Stainless	36" x 19 ³ / ₄ " x 27 ¹ / ₂ "	120	1800	15.0
36" Black	36" x 19 ³ / ₄ " x 27 ¹ / ₂ "	120	1800	15.0
	18" Stainless 18" Stainless 18" Black 24" Stainless 24" Black 30" Stainless 30" Black 36" Stainless 36" Black Shelves 18" Stainless 18" Stainless 18" Black 24" Stainless 24" Black 30" Stainless 30" Stainless 30" Stainless 30" Stainless	18" Stainless 18" X 19³/4" X 21³/8" 18" Black 24" Stainless 24" X 19³/4" X 24" 30" Stainless 30" X 19³/4" X 24" 36" Stainless 36" X 19³/4" X 24" 36" Black 36" X 19³/4" X 24" 36" Stainless 18" X 19³/4" X 25³/8" 24" Stainless 24" X 19³/4" X 25³/8" 24" Stainless 24" X 19³/4" X 27¹/2" 30" Stainless 30" X 19³/4" X 27¹/2" 36" Stainless 36" X 19³/4" X 27¹/2"	Ial Shelves 18" Stainless 18" x 19³/₄" x 21²/₅" 120 18" Black 18" x 19³/₄" x 21²/₅" 120 24" Stainless 24" x 19³/₄" x 24" 120 24" Black 24" x 19³/₄" x 24" 120 30" Stainless 30" x 19³/₄" x 24" 120 30" Black 30" x 19³/₄" x 24" 120 36" Stainless 36" x 19³/₄" x 24" 120 36" Black 36" x 19³/₄" x 24" 120 Shelves 18" Stainless 18" x 19³/₄" x 25³/₅" 120 18" Black 18" x 19³/₄" x 25³/₅" 120 24" Stainless 24" x 19³/₄" x 27¹/₂" 120 24" Black 24" x 19³/₄" x 27¹/₂" 120 30" Stainless 30" x 19³/₄" x 27¹/₂" 120 30" Black 30" x 19³/₄" x 27¹/₂" 120 36" Stainless 36" x 19³/₄" x 27¹/₂" 120	18" Stainless 18" x 19³/4" x 21³/8" 120 860 18" Black 18" x 19³/4" x 21³/8" 120 860 24" Stainless 24" x 19³/4" x 24" 120 1160 24" Black 24" x 19³/4" x 24" 120 1160 30" Stainless 30" x 19³/4" x 24" 120 1460 30" Black 30" x 19³/4" x 24" 120 1460 36" Stainless 36" x 19³/4" x 24" 120 1800 36" Black 36" x 19³/4" x 24" 120 1800 Shelves 18" Stainless 18" x 19³/4" x 25³/8" 120 860 18" Black 18" x 19³/4" x 25³/8" 120 860 24" Stainless 24" x 19³/4" x 27¹/2" 120 1160 24" Black 24" x 19³/4" x 27¹/2" 120 1160 30" Stainless 30" x 19³/4" x 27¹/2" 120 1460 30" Black 30" x 19³/4" x 27¹/2" 120 1460 36" Stainless 36" x 19³/4" x 27¹/2" 120 1460

Looking for other sizes, configurations or colors? Call Nemco for details.

Optional Accessories

Sign Kits—includes header, header bracket, menu cards and menu holder for each shelf.

Model #	Description
68773-18	Dual Shelf Merchandiser Sign Kit– 18"
68773-24	Dual Shelf Merchandiser Sign Kit– 24"
68773-30	Dual Shelf Merchandiser Sign Kit-30"
68773-36	Dual Shelf Merchandiser Sign Kit- 36"
-1997-	







Perfect for video and convenience stores, groceries, delis and cafeteriastyle lines where presentation provides added value.





Heated Display Cases

Stainless-steel construction and sliding tempered-glass doors provide a neat appearance and long life. Three removable shelves enhance presentation. Pullout crumb tray makes cleanup a snap. Thermostat control up to 200°F. Available options: two 40-watt bulbs for product illumination and a water reservoir for humidity control.

Description Heated Display Case	Size (WxDxH)	Volts	Watts	Amps
w/Light, Water Reservoir, 3 Removable Shelves	28 ¹ / ₄ " x 13 ¹ / ₈ " x 24"	120	780	6.5
Heated Case w/3 15" Square Angled Shelves	18 ¹ / ₂ " x 18 ¹ / ₂ " x 33 ⁷ / ₈ "	120	1480	12.3
Heated Self-Serve Case w/3 15" Square Angled Shelves	18¹/2" x 18¹/2" x 33³/8"	120	1480	12.3
Heated Case w/3 19" Square Angled Shelves	22 ¹ / ₄ " x 22 ¹ / ₄ " x 33 ⁷ / ₈ "	120	1480	12.3
Heated Self-Serve Case w/3 19" Square Angled Shelves	22 ¹ / ₄ " x 22 ¹ / ₄ " x 33 ⁷ / ₈ "	120	1480	12.3
	Heated Display Case w/Light, Water Reservoir, 3 Removable Shelves Heated Case w/3 15" Square Angled Shelves Heated Self-Serve Case w/3 15" Square Angled Shelves Heated Case w/3 19" Square Angled Shelves Heated Self-Serve Case	Heated Display Case w/Light, Water Reservoir, 3 Removable Shelves 281/4" x 131/8" x 24" Heated Case w/3 15" Square Angled Shelves 181/2" x 181/2" x 337/8" Heated Self-Serve Case w/3 15" Square Angled Shelves 181/2" x 181/2" x 337/8" Heated Case w/3 19" Square Angled Shelves 221/4" x 221/4" x 337/8" Heated Self-Serve Case	Heated Display Case 281/4" x 131/8" x 24" 120 Heated Case w/3 15" Square 181/2" x 181/2" x 337/8" 120 Heated Self-Serve 181/2" x 181/2" x 337/8" 120 Heated Self-Serve 181/2" x 181/2" x 337/8" 120 Heated Shelves 181/2" x 181/2" x 337/8" 120 Heated Case w/3 19" Square 221/4" x 221/4" x 337/8" 120	Heated Display Case 28¹/4" x 13¹/8" x 24" 120 780 Heated Case w/3 15" Square 18¹/2" x 18¹/2" x 33²/8" 120 1480 Heated Self-Serve Case w/3 15" Square 18¹/2" x 18¹/2" x 33²/8" 120 1480 Heated Shelves 18¹/2" x 18¹/2" x 33³/8" 120 1480 Heated Case w/3 19" Square 22¹/4" x 22¹/4" x 33³/8" 120 1480 Heated Shelves 22¹/4" x 22¹/4" x 33³/8" 120 1480 Heated Self-Serve Case

Optional Accessories

Model # Description

Set of Four 4" Nickel Plated, Adjustable Legs





suggested uses

Perfect for holding any hot foods that don't require humidity assist. Ideal for convenience stores, carry-out pizza kitchens and other similar operations. The cavity width accommodates most any foodservice dish or container, which makes it great for cafeterias, catering lines and virtually any high-volume, hot-food operation.



Hot Holding Cabinets

Whether you're trying to stay ahead of high-volume rush times or extend the oven-fresh quality of your hot takeout orders, Nemco's Hot Holding Cabinets offer the perfect solution. Each unit comes factory preset to the perfect holding range between 100° and 187° F, with no manual controls for staff to mess with. The width of the body and the easy interchangeability of the racks accommodate anything from 18" pizza box to half sheet pans and a range of other wide items. The door features scratch-resistant tempered glass and a self-drawing, self-sealing closure. Also features stainless-steel construction throughout and a self-monitoring function that alerts staff if the holding temperature has been compromised.

Model#	Description	Size $(W \times D \times H)$	Volts	Watts	Amps
6405	Countertop Cabinet	22 ¹ /8" x 24 ⁷ /8" x 22 ⁷ /8"	120	1230	10.3
6410	Floor Cabinet	22 ¹ /8" x 24 ⁷ /8" x 33 ⁷ /8"	120	1230	10.3





popcorn merchandisers



Step Right Up

A snack so perfectly simple and timeless, you can never go wrong with popcorn.

But you can go higher.

As in, higher profit potential.

That's why you'll find Nemco popcorn equipment is equally simple in its design and execution—with features intended to make sure every kernel gets popped evenly, every cleanup process is easy enough to keep the operation looking great, and every engineering decision is made with a merchandising slant, to give such a timeless classic the showcase appeal that will maximize sales.



Popcorn Poppers

Nemco countertop popcorn poppers combine merchandising punch with ease and durability for guaranteed high-profit sales. They boast stainlesssteel construction and tempered glass for toughness, kettles that provide uniform heat distribution for even popping and a number of features for quick cleanup. Models also have clean-air discharge technology that means only popcorn-selling aroma enters the roomno smoke, steam or oil vapors that turn customers away.

	Model#	Description	Size $(W \times D \times H)$	Volts	Watts	Amps
	6440	8 oz. Popper	$19^{1}/2$ " x $14^{1}/2$ " x $30^{1}/2$ "	120	1190	9.9
5	GS1504**	4 oz. Popper	17 ¹ / ₂ " x 18" x 24 ¹ / ₂ "	120	688	5.7
5	GS1508*	8 oz. Popper	19" x 17 ¹ / ₂ " x 31"	120	1525	12.7
4	GS1516*	16 oz Ponner	20" x 20" x 37"	120	1710	14.3









suggested uses

Tasty popcorn adds excitement wherever people shop. Perfect for video stores, convenience stores, groceries and concession stands.





Model 6440

Model GS1516

Popper Carts

Whether in need of a higher quality concession-equipment alternative or simply looking to offer more event-style fun, Nemco's popper carts are a perfect accessory. Vintage-style design catches the eye and adds a higher-end merchandising character that increases sales.

	Model#	Description	Size (WxDxH
8	GS1504-C	4 oz. Popper Cart	19" x 18" x 29"
G	GS1508-C	8 oz. Popper Cart	29" x 27" x 34"
G	GS1516-C	16 oz. Popper Cart	29" x 27" x 34"

suggested uses

Add some elegance and convenience to any popcorn popper by purchasing the matching cart. It's designed for easy assembly. While the popcorn carts are made with the latest technology, they add a classic touch to the overall look.

Model GS1516-C

Popcorn Packs

It's a triple play for convenient popping! The Mega Pop® Corn/Oil Kit with Coconut Oil includes all your corn, oil and salt ingredients ready to go in one neat little package. Just add it to the machine! Coconut oil blend is standard. Available in four-, six- and eight-ounce sizes.

	Model#	Description
G	GS1504-P	4 oz. Popcorn Pack
G	GS1506-P	6 oz. Popcorn Pack
G	GS1508-P	8 oz. Popcorn Pack

suggested uses

These all-in-one packs make it super simple to keep any popcorn merchandiser operation up and running for exciting snack sales.



The versatility of Nemco's heat shelf makes it useful for all sorts of applications, including kitchen wait stations, pass-through areas, serving lines, buffets and more. It can find a place in the back or front of the house, and is especially useful where overhead radiant warmers are not available or not quite enough to achieve those slightly higher temperatures or longer hold times. Use the heat shelf to hold plated foods or boxed to-go orders. Or hold a serving pan on its stainless-steel surface and maximize the power of conduction heat.



Heat Shelves

Operators now have a smart, extremely versatile solution for keeping ready-to-serve foods at their warm, appetizing best. Nemco's electric heat shelf is perfect for the kitchen, the pass-through station or, with its special design features, the front of the house too. The unique heating elements minimize temperature drops across the surface, resulting in reliable, uniform holding and the capability to heat up to 220°F. Includes all stainless-steel construction, an ergonomic control dial and rounded corners for a contemporary look. Plus, it's available with black powder-coated sides—standard!

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
6301-18	18" Black	18" x 20" x 3"	120	250	2.1
6301-18-SS	18" Stainless	18" x 20" x 3"	120	250	2.1
6301-24	24" Black	24" x 20" x 3"	120	350	2.9
6301-24-SS	24" Stainless	24" x 20" x 3"	120	350	2.9
6301-30	30" Black	30" x 20" x 3"	120	425	3.5
6301-30-SS	30" Stainless	30" x 20" x 3"	120	425	3.5
6301-36	36" Black	36" x 20" x 3"	120	500	4.2
6301-36-SS	36" Stainless	36" x 20" x 3"	120	500	4.2
6301-48	48" Black	48" x 20" x 7"	120	700	5.8
6301-48-SS	48" Stainless	48" x 20" x 7"	120	700	5.8
6301-60	60" Black	60" x 20" x 7"	120	850	7.1
6301-60-SS	60" Stainless	60" x 20" x 7"	120	850	7.1
6301-72	72" Black	72" x 20" x 7"	120	1,000	8.3
6301-72-SS	72" Stainless	72" x 20" x 7"	120	1,000	8.3

^{*} Note: 18" through 36" models will be supplied with 1/2" feet; 48" through 72" models will be supplied with 4" legs to meet NSF Standard 4.







FOOD MERCHANDISING

concessions equipment

suggested uses

A great addition to any convenience store, concession stand or stadium with self-serve offerings. Dispenses chili as well as nacho cheese.



suggested uses

For any concession stand or other small retail outlets looking to dabble in snow-cone sales. This is an ideal entry-level solution with modest output and super-simple operation.



suggested uses

This is a great answer for smaller operations that want to keep up with the demand for more self-serve customization options.

Nacho Cheese Dispenser

Meet the perfectly compact, snack-food-counter companion for nachos, breadsticks, pretzels, you name it. Patrons will love the convenience and operators will love the design that completely isolates the cheese from making any contact with machine parts, virtually eliminating cleanup. Keeps a backup bag preheated for rush times. Peristaltic pump dispenses every last drop—no waste!

Model # Description Size (WxDxH) Volts Watts Amps

SS GS1555 Nacho Cheese Dispenser 17" x 10" x 28" 120 225 1.9



Sno-Kone Machine

Change up your snack-time offering with a little snow-cone magic using this compact unit that's perfect for smaller, lower-volume operations. Features high-visibility for merchandising appeal and multiple features to make cleanup a cinch—including a removable snow pan and drain tube and a welded frame that prevents melting-ice leaks.







Hot Fudge Dispenser

Give your customers the sweetest add-on option while maintaining portion control and cleanliness. Lit graphics and stainless-steel construction combine beauty with brawn for any commercial application. Features a built-in, easy-actuating pump and an oversized water tank that keeps the fudge warm and gooey.

<u> </u>	GS1560	Hot Fudge Dispenser	11" x 15" x 16"	120		27
	Model#	Description	Size (WxDxH)	Volts	Watts	Amps





soup station merchandisers



Model 6510A-2D4



Model 6510A-2D7



Model 6510-T4

Soup Merchandisers **NEW**

Turn your customers on to the idea of a hearty bowl of soup with these inviting soup-warmer merchandisers, each adorned with a classic-looking "Soup for all Seasons" graphic. A unique heating-element design maintains an even holding temperature and prevents hot spots. Twin warmers have separate thermostats for better temperature control. Plus, the header comes with interchangeable tab cards bearing the names of nearly 50 popular soups.

Model # 6510A-2D4	Description 4 Quart, Twin Well Double Thermostat	Size (WxDxH)	Volts	Watts	Amps
	w/Header	20 ¹ / ₂ " x 10 ¹ / ₂ " x 20 ¹ / ₂ "	120	1000	8.3
6510A-2D4P	4 Quart, Twin Well Double Thermostat, No Header	18 ⁵ /8" x 10 ³ /8" x 9 ⁷ /8"	120	1000	8.3
6510A-2D7	7 Quart, Twin Well Double Thermostat w/Header	24 ¹ /2" x 13 ³ /8" x 21 ⁵ /8"	120	1100	9.2
6510A-2D7P	7 Quart, Twin Well Double Thermostat, No Header	24 ¹ / ₂ " x 12" x 11 ³ / ₄ "	120	1100	9.2
6510A-S7	7 Quart, Single Well Single Thermostat w/Header	13" x 12³/8" x 21⁵/8"	120	550	4.6
6510A-S7P	7 Quart, Single Well Single Thermostat, No Header	11 ⁷ /8" x 12 ³ /8" x 11 ⁵ /8"	120	550	4.6
6510-T4	4 Quart, Triple Well Single Thermostat w/Header and Adaptor Plate	25 ¹ / ₈ " x 16" x 20 ¹ / ₄ "	120	1500	12.5
6510-T4P	4 Quart, Triple Well Single Thermostat, No Heade w/Adapter Plate	er, 25¹/s" x 14⁵/s" x 11"	120	1500	12.5
6510-D7	7 Quart, Twin Well Single Thermostat w/Header and Adapter Plate	25 ¹ / ₈ " x 16" x 20 ¹ / ₄ "	120	1500	12.5
6510-D7P	7 Quart, Twin Well Single Thermostat, No Heade w/Adapter Plates	er, 25 ¹ /8" x 14 ⁵ /8" x 11"	120	1500	12.5

Optional Accessories

Model #	Description	Fits Models
68393-4	4 Quart Inset, Hinged Cover and Ladle	6510A-2D4, 6510A-2D4P, 6510-T4, 6510-T4P
68393-7	7 Quart Inset, Hinged Cover and Ladle	6510A-2D7, 6510A-2D7P, 6510A-S7, 6510A-S7P, 6510-D7P

Custom graphics are available. Call the Nemco factory for information.

All Nemco cooker & warmers are listed NSF/ANSI Standard 4, making them certified "rethermalization equipment."





cold condiment stations



Hold The Mayo

No, really. Hold the mayo, the coleslaw, the potato salad or virtually any chilled customer favorite in a self-serve or other open-display application with Nemco's latest countertop equipment innovation!

Display for your customers the widest variety of condiments and other chilled foods with the one

countertop solution that gives you unprecedented versatility and temperature control!

Nemco's Cold Condiment Station has all the features you need to consistently hold chilled, even potentially hazardous, foods at safe temperatures.





Cold Condiment Station

Display your self-serve, chilled customer favorites with Nemco's latest compact countertop-equipment innovation. Our Cold Condiment Station has all the features you need to consistently hold chilled, even potentially hazardous, foods at safe temperatures. Featuring an electronic thermostat control with a digital display and an integrated 1/8 horsepower refrigeration-condensing unit, Nemco's Cold Condiment Station has the capacity to maintain food-safe temperatures (32°–41°F) or colder, regardless of ambient temperature. Durable stainless-steel exterior with multiple-pan configurations for food-choice flexibility.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
9010	Station w/4-1/6 Plastic Pans w/Clear Hinged Lids, Horizontal Wells	17 ⁷ / ₈ " x 28" x 11 ³ / ₄ "	120	255	2.1
9015	Station w/4-1/6 Plastic Pans w/Clear Hinged Lids, Vertical Wells	20 ¹ /16" x 28 ³ /16" x 11 ³ /4"	120	255	2.1



suggested uses

Nemco's Cold Condiment Station is a must-have accessory on any C-store self-serve island for its NSF-approved ability to keep all your "refrigerate-after-opening" items fresh. It's also ideal for buffet lines, salad bars and other applications where potato, pasta and bean salads, puddings and other refrigerated foods and desserts remain out on display.



Digital thermostat control and display (with C° and F°) easily enable employees to monitor and adjust the temperature—located in the back of the unit to keep control out of customer sight to avoid tampering

Cold Condiment Chiller

Expand your self-serve offering of condiments and other chilled foods with the industry's most compact NSF unit. The Cold Condiment Chiller features thermoelectric technology that effectively holds at required temperatures without the noise, maintenance and space-hogging drawbacks of conventional compressor units. A simple sleek look and feel makes it appealing in a high visibility self-serve application.

Model # 9020	Description Chilller Only	Size (WxDxH)	Amps	Rating
3020	(no pans included)	15" x 9 ¹ / ₄ " x 11 ³ / ₄ "	120	6.7A @ 12Vdc
9020-1	1-¹/₃ Stainless Steel Pan w/Clear Hinged Lid	15" x 9 ¹ / ₄ " x 11 ³ / ₄ "	120	6.7A @ 12Vdc
9020-2	2-1/6 Stainless Steel Pans w/Clear Hinged Lids	15" x 9 ¹ / ₄ " x 11 ³ / ₄ "	120	6.7A @ 12Vdc
9020-3	3-1/9 Stainless Steel Pans w/Clear Lids	15" x 9 ¹ / ₄ " x 11 ³ / ₄ "	120	6.7A @ 12Vdc

NOTE: This product is not intended for use with foods that require a specific temperature to ensure food safety.



suggested uses

Nemco's Cold Condiment Chiller is a must-have accessory on any convenience store self-serve island or stadium concessions counter. It keeps fresh all kinds of fruit garnishes for smoothies, as well as "refrigerate-after-opening" items, such as relish, onions, pickles, salsa, jalapeños, sauerkraut, banana peppers and more.







Condiment Bars

Give 'em the works without making more work for yourself. Cap off your hot-dog serving area with one of these neat, efficient, no-waste condiment bars. Stainless-steel construction effectively retains the temperature of the ice pack. Pumps provide dispensing with minimal effort.

Model #	Description	Size (WxDxH)	No. of Pans	Capacity/Type
88100-CB-1	Condiment Bar w/2- 3 Qt. Stainless Steel Pans w/Pumps	25 ³ / ₄ " x 8" x 12"	1	6.1 qts. ea./Stainless Steel
88100-CB-2	Condiment Bar w/2- 3 Qt. Stainless Steel Pans w/Pumps	25 ³ / ₄ " x 8" x 12"	3	1.1 qts. ea./Stainless Steel
88100-CB-3	Condiment Bar w/2- 3 Qt. Stainless Steel Pans w/Pumps	25 ³ / ₄ " x 8" x 12"	3	0.6 qts. ea./Stainless Steel
88101-CB-1	Condiment Bar w/2- 1.5 Qt. Plastic Pans w/Pumps	24" x 7 ¹ /2" x 9 ¹ /2"	3	1.1 qts. ea./Plastic
88101-CB-2	Condiment Bar w/2- 1.5 Qt. Plastic Pans w/Pumps	24" x 7 ¹ / ₂ " x 9 ¹ / ₂ "	3	0.6 qts. ea./Plastic
88101-CB-2P*	Condiment Bar w/2- 1.5 Qt. Plastic Pans w/Pumps	24" x 7 ¹ / ₂ " x 9 ¹ / ₂ "	3	0.6 qts. ea./Plastic
88250-CB	Ice Pack, One Each			

^{*}Includes two ice packs





Works in tough back-of-the-house applications, but has the finesse to hold its appeal in self-serve lines too. Great for toasting bread, bagels, English muffins, premade waffles and other items commonly dropped in a toaster at home.





Conveyor Toasters

Nothing promises better toasting perfection, with less maintenance hassle, than the Nemco Conveyor Toaster—featuring a smart, simple design that delivers outstanding performance, with no wasted energy. Nemco's proprietary element pattern provides consistent toasting, left to right, across the entire conveyor, while the four-position rotary switch—with optional one- or two-side toasting—includes a 'stand-by' mode that conserves energy by running the topside element at a low temperature when the unit sits idle. A black powder-coat top and stainless-steel body, with heat-releasing louvers that keep it cool to the touch, make it a great model for front-of-the-house operations with self-serve lines. For 300-piece/hour capacity, choose model 6800. Or, for a higher volume, such as 1,000 pieces/hour, go with model 6805.

Model #	Description	Size $(W \times D \times H)$	Volts	Watts	Amps
6800	2-Slice Toaster	14" x 18" x 15"	120	1660	13.8
6805	3-Slice Toaster	19" x 18" x 15"	240	3600	15.0







dispensing

food dispensing equipment



Practical Made Perfect

Consumers are at it again, demanding more menu options, including the ability to 'customize' their orders with the likes of both classic and unusually original condiments and sauces.

So, what does Nemco do? —Step forward with the latest in food dispensing systems that are just as innovative as the operators who are filling them.

The result is a perfectly practical line that combines the very best in function and style to minimize waste, eliminate mess and complement the look & feel of even the most brand-conscious foodservice business owners.





Plastic Countertop Dispensers **NEW!**

Nemco's plastic countertop dispensers powered by Asept feature a smooth, easy-to-activate pump that delivers an accurate, no-drip portion of your customers' favorite condiments and sauces. A sleek, simple design maintains a great appearance on its own, but also accommodates custom graphics. It's the perfect self-serve solution!

Model #	Description	Size (WxDxH)
10950	Black/Black Dispenser (UNI-2)1	$6^{1/2}$ " x 13" x 17 $^{1/3}$ "
10951	Black/White Dispenser (UNI-2) ¹	$6^{1/2}$ " x 13" x 17 $^{1/3}$ "



suggested uses

Durable, but lightweight and portable, the plastic countertop dispenser is a great delivery system for condiments and sauces in a wide range of self-serve applications.

Stainless-Steel Countertop and Drop-In Dispensers NEW!

Take your self-serve station to another level with Nemco's stainless-steel dispensers. They offer all the portion-control, accuracy and user-friendly features of the plastic dispensers, but with a different look to match the aesthetic and appearance of a unique dining area. Available in models that can stand freely on the counter or, if a lower profile is desired, models that can be dropped into a countertop cut-out.

Model #	Description	Size (WxDxH)
10961	Single Dispenser (SS6L-1) ¹	$6^{1}/2$ " x $13^{1}/4$ " x $18^{3}/4$ "
10962	Double Dispenser (SS6L-2) ¹	$10^{7}/8$ " x $13^{1}/4$ " x $18^{3}/4$ "
10963	Triple Dispenser (SS6L-3) ¹	16 ³ / ₈ " x 13 ¹ / ₄ " x 18 ³ / ₄ "
10964	Quadruple Dispenser (SS6L-4) ¹	21 ⁷ /8" x 13 ¹ /4" x 18 ³ /4"
10965	Quintuple Dispenser (SS6L-5)1	27 ³ / ₈ " x 13 ¹ / ₄ " x 18 ³ / ₄ "
10966	Single Drop-In Dispenser (SS6L-1DI) ¹	7 ⁵ / ₈ " x 14" x 12" *
10967	Double Drop-In Dispenser (SS6L-2DI) ¹	12" x 14" x 12" *
10968	Triple Drop-In Dispenser (SS6L-3DI) ¹	17 ¹ / ₂ " x 14" x 12" *
10969	Quadruple Drop-In Dispenser (SS6L-4DI) ¹	23" x 14" x 12" *
10970	Quintuple Drop-In Dispenser (SS6L-5DI) ¹	28 ¹ / ₂ " x 14" x 12" *

^{*} Above the counter dimensions.





suggested uses

A great self-service solution for dining areas where a stainless steel exterior blends with the aesthetic of the room or matches the appearance of other equipment and counters. Available in single through quintuple models, countertop or drop-in.





Model 10968

Model 10961



The Portion Pump's convenience, ease-ofuse and no-mess function make it a great solution for self-serve operations that want to expand their condiment options.



suggested uses

Operations that fill large amounts of squeeze bottles and ramekins should have a Nemco Press-O-Matic in the kitchen.



Portion Pump NEW!

Simplify dispensing for your staff or self-serve customers with Nemco's easy-to-use Portion Pumps that apply a uniform, no-mess dose of condiments with one simple squeeze of the handle. The pump's sealed system maximizes shelf life, achieves a high product yield and ensures consistent portion control. Everything is made of BPA-free food-grade material and the dishwasher-safe components are easy to disassemble for cleaning and refills.

 Model #
 Description
 Size (WxDxH)

 10978
 Portion Pump (CG02)¹
 3³/4" x 2³/4" x 7"



High-Volume Press-0-Matic NEW!

Maximize efficiency and minimize the mess of your daily condiment prep with Nemco's Press-O-Matic powered by Asept. Users can fill a squeeze bottle or ramekin with a quick pull of the lever and make fast changes from one product pouch to another, without risk of leakage or loss of freshness.

Model # Description Size $(W \times D \times H)$ 10975 For 1.5 gallon pouch $(AG12)^1$ 18" x 10" x 17"





¹⁾ Designations indicate the NSF models listed for each product by the manufacturer, Asept International AB Traktorvägen 17, SE-226 60, Lund, Sweden.

cooking, toasting, baking

waffle bakers



Waffle Bakers

Nemco Waffle Bakers are so easy to use, they're perfect for self-serve buffet lines. Simply fill and close the grid, then push the timer. Topmounted digital controls maintain ideal baking temperature. Sensors ensure uniform baking on both sides. LED readout counts down baking time (typically only $3^{1}/_{2}$ minutes!), and the bell signals when done. Floating hinges allow top grid to rise as waffle bakes to perfection. Interlocking grids reduce batter overflow. Coiled, spring-type handles never get hot. Bake up to 20 seven-inch-diameter waffles per hour, per grid. Easy-to-clean SilverStone® grids available.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
7000A	Single	10" x 18 ³ / ₈ " x 8 ¹ / ₈ "	120	890	7.4
7000A-S	Single w/SS*	10" x 18 ³ / ₈ " x 8 ¹ / ₈ "	120	890	7.4
7000A-240	Single	10" x 18 ³ / ₈ " x 8 ¹ / ₈ "	240	890	3.7
7000A-S240	Single w/SS*	10" x 18 ³ / ₈ " x 8 ¹ / ₈ "	240	890	3.7
7000A-2	Dual	$19^{1}/_{2}$ " x $18^{3}/_{8}$ " x $8^{1}/_{8}$ "	120	1780	14.8
7000A-2S	Dual w/SS*	$19^{1}/_{2}$ " x $18^{3}/_{8}$ " x $8^{1}/_{8}$ "	120	1780	14.8
7000A-2240	Dual	$19^{1}/2$ " x $18^{3}/8$ " x $8^{1}/8$ "	240	1780	7.4
7000A-2S240	Dual w/SS*	19 ¹ / ₂ " x 18 ³ / ₈ " x 8 ¹ / ₈ "	240	1780	7.4

Height with handle up 171/8"

^{*}SS = SilverStone



Designed to fit flush against the wall, Nemco Waffle Bakers are great for front-of-the-house setups. Popular for breakfast, brunch, lunch and all times in between, waffles are ideal for creating new signature items. Top with fruit, dairy specialties, dessert sauces and more.



Belgian Waffle Bakers

Choose a model with a removable grid for super-easy cleaning or stay with the more economical fixed grid.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
7020A	Removable	10" x 18 ³ / ₄ " x 10 ⁵ / ₈ "	120	980	8.2
7020A-1	Fixed	10" x 18 ³ / ₄ " x 10 ⁵ / ₈ "	120	980	8.2
7020A-S	Removable w/SS*	10" x 18 ³ / ₄ " x 10 ⁵ / ₈ "	120	980	8.2
7020A-1S	Fixed w/SS*	10" x 18 ³ / ₄ " x 10 ⁵ / ₈ "	120	980	8.2
7020A-1AS	Auto-Start, Fixed w/SS	11 ¹ / ₂ " x 19 ¹ / ₂ " x 10 ³ / ₄ "	120	890	7.4
7020A-208	Removable	10" x 18 ³ / ₄ " x 10 ⁵ / ₈ "	208	980	4.7
7020A-S208	Removable w/SS*	10" x 18 ³ / ₄ " x 10 ⁵ / ₈ "	208	980	4.7
7020A-1S208	Fixed w/SS*	10" x 18 ³ / ₄ " x 10 ⁵ / ₈ "	208	980	4.7
7020A-240	Removable	10" x 18 ³ / ₄ " x 10 ⁵ / ₈ "	240	980	4.1
7020A-S240	Removable w/SS*	10" x 18 ³ / ₄ " x 10 ⁵ / ₈ "	240	980	4.1

Height with handle up 21"


*SS = SilverStone


Optional Accessories

Model # Description 77241 Drip Tray, Stainless Steel









Self-Serve Made Super-Easy!

Less labor for you means more money for you.
Pair up the NEW Batter
Dispenser with the NEW auto-start Belgian Waffle
Baker (model 7020A-1AS on p. 76) and let your customers enjoy preparing their own fresh-baked waffles!



Batter Dispenser

Take your breakfast buffet line to another level with Nemco's super easy-to-use batter dispenser that simplifies self-serve waffle making. A soda-machine-style valve dispenser features a smooth flow for convenience and a reliable seal to minimize mess. The stainless-steel construction adds durability, while the faceplate graphics apply an attractive visual accent.

7050	Batter Dispenser	12" x 12" x 18 ¹ / ₄ "
Model #	Description	Size (WxDxH)



Cone Bakers

For fast, convenient, precision baking of waffle cones. Preheats in just 12 minutes and produces up to 60 cones per hour, per grid. Heavy-duty, lockdown, fixed, seven-inch aluminum grids provide uniform thickness, while flat-ring heating elements bake to a taste-tempting, overall golden brown. Easy-to-read LED display counts down baking time. Audible alarm signals the minute baking is complete. Coiled, spring-type handle remains cool for fast, easy handling.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
7030A	Single	$10" \times 19^{3}/_{4}" \times 8^{1}/_{8}"$	120	890	7.4
7030A-240	Single	$10" \times 19^{3}/_{4}" \times 8^{1}/_{8}"$	240	890	3.7
7030A-2	Dual	$19^{1}/_{2}$ " x $19^{3}/_{4}$ " x $8^{1}/_{8}$ "	120	1780	14.8
7030A-2240	Dual	19 ¹ / ₂ " x 19 ³ / ₄ " x 8 ¹ / ₈ "	240	1780	7.4

Height with handle up 17¹/₂"

Optional Accessories

Model # Description

77005 Cone Form Roller. Makes 7" Finished Cones

77006 Walking Sundae Mold





cooking, toasting, baking



Use for all types of pasta, vegetables, dumplings, shellfish and more. Also great for reconstituting food and reheating frozen items.



suggested uses

Nemco countertop baking and pizza ovens are great for rethermalizing and baking foods in snack bars, taverns and concession stands.



Model 6205

Countertop Boiling Unit

Built for speed and built to last, this boiler preheats in 12 minutes and recovers extremely quickly. Stainless-steel construction with a powder-coat top and durable-alloy twin baskets with insulated grips enhance performance life. Smaller accessory baskets give you the quick-serve ability to cook and drain up to six individual orders at once. A digital thermostat—with a temperature range of 100° F to 212° F—and programmable timing provide versatile cooking control. A turn-knob drain mechanism makes cleaning easy..

Model #	Description	Size $(W \times D \times H)$	Volts	Watts	Amps
6760-240	Single Tank, 2 Twin Baskets.				
	2.5 Gallon Capacity	12" x 24" x 16"	240	5750	24.0

Optional Accessories

Model # Description
66785 Set of Four Nickel Plated, Adjustable Legs

69582 Set of Six 4" x 4" x 4" Baskets 69599 Stainless Steel Basket, Twin (1), for 6760-240



Optional Baskets

Accessory basket set lets you cook and drain 6 individual servings separately.



Countertop Pizza Ovens

Get the incredible bake of an authentic deck-oven pizza in this unique countertop model. Each is equipped with a genuine baking stone for that killer pizza taste. Model 6205-240 bakes fast and recovers quickly. Two removable 19-inch stone decks and heavy-duty metal-sheath elements distribute heat evenly. The reflective stainless-steel surface ensures even baking under the top deck. Temperature range of 300°–700°F. Six-foot cord comes from the right bottom rear.

(Must use a pan or screen with frozen foods.)

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
6205	Square Deck	25 ¹ / ₄ " x 26" x 22"	120	1800	15.0
6205-240	Square Deck	25 ¹ / ₄ " x 26" x 22"	240	5400	22.5

Optional Accessories

Model # Description
55855 Oven Paddle

66785 Set of Four Nickel Plated, Adjustable Legs

66795 Baking Stone



Optional Paddle

Keep up when the heat is on with this durable, aluminum-construction sandwich/pizza paddle that's the perfect companion for your busy countertop oven.

countertop ovens

suggested uses

Nemco's ovens are ideal for reheating foods in snack bars, taverns, concession stands and other retail operations. They're perfect for reheating pizza, cookies, pastries, rolls, fresh breads, pies, toasted sandwiches and all sorts of other precooked items.





Model 6215

Countertop Warming & Baking Oven

Now you can have a fully functional, multipurpose oven, right on your countertop to bring more, big-menu variety to even the smallest kitchen. Just plug into a standard outlet, and add more baking capacity to your operation instantly. Takes minimal counterspace with no ventilation required. Thermostatic control to 700°F with independent on-off switches for upper and lower heating elements. Sixty-minute timer. Comes with two 151/8" by 141/4" wire shelves; holds up to four.

Model #	Description	Size $(W \times D \times H)$	Volts	Watts	Amps
6200	Warming and				
	Baking Oven	19 ¹ / ₂ " x 22" x 24"	120	1500	12.5



Countertop Ovens

Smaller, lower-volume foodservice operations, such as kiosks, bowling alleys and taverns, can bake virtually anything in this compact, low-profile single-rack countertop oven. Choose from two stainless-steel models with 13½" by 13½" wire racks (fits 12" pizza), 15-minute timer, and upper and lower heating elements. Model 6210 features independent on-off switches for upper and lower heating elements, thermostatic control to 700°F and a 60-minute bell timer. Model 6215 features a 450°F preset thermostat and 15-minute timer switch. Both have a crumb tray for easy cleaning.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps	
6210	All-Purpose Oven	21 ¹ / ₄ " x 21 ¹ / ₂ " x 8 ⁷ / ₈ "	120	1500	12.5	
6215	Pizza Oven	19 ¹ / ₈ " x 20 ¹ / ₂ " x 7 ⁷ / ₈ "	120	1450	12.1	







Great for convenience stores, coffee shops, snack bars and QSRs that have very little floor space for an oven. Concessions operations and off-site catering operations can also find these extremely useful. They're easy to install and may hold anything from small cookie trays up to several half-size sheet pans.





Model GS1200

suggested uses

Ideal for reheating foods in snack bars, taverns, concession stands and other retail operations. They're perfect for reheating pizza, cookies, pastries, rolls, fresh breads, pies, toasted sandwiches and all sorts of other precooked items.





Model GS1010

Convection Ovens

Kitchens looking to bake in small batches will find the perfect solution in these versatile models. All of them feature convection technology that heats food quickly and evenly, plus a variety of options to meet uncommon application needs. Units are available with an added broiler function or steam capabilities. Also available with digital temperature controls that simplify operation for more inexperienced staff.

Model #	Description	Size $(W \times D \times H)$	Volts	Watts	Amps
GS1105-17	Manual,				
	1/2 Size, 3-Shelf	23 ⁵ /8" x 28" x 21"	120	1700	14.2
GS1105-28	Manual,				
	1/2 Size, 3-Shelf	23 ⁵ /8" x 28" x 21"	208/240	2800	13.5/11.7
GS1110-17	Manual,				
	1/2 Size, 4-Shelf	23 ⁵ / ₈ " x 28" x 21"	120	1700	14.2
GS1110-28	Manual,				
	1/2 Size, 4-Shelf	23 ⁵ /8" x 28" x 21"	208/240	2800	13.5/11.7
GS1115	Manual, w/Broiler				
	1/2 Size, 3-Shelf,	23 ⁵ /8" x 28" x 21"	208/240	2900	13.9/12.1
GS1120	Manual, w/Steam				
	1/2 Size, 4-Shelf,	23 ⁵ /8" x 28" x 21"	208/240	2900	13.9/12.1
GS1130	Manual,				
	1/4 Size, 4-Shelf,	18" x 20 ¹ / ₄ " x 19"	120	1700	14.5
GS1125	Digital, w/Steam				
	1/2 Size, 4-Shelf,	23 ⁵ / ₈ " x 28" x 21"	208/240	2900	13.9/12.1
GS1200*	Manual,				
	1/4 Pan, 3-Shelf	19" x 18" x 14 ¹ / ₄ "	120	1300	10.8
എ എ	*(NSF) (U)				
ED ED.	TO LOUIS				

Multipurpose Ovens

With these incredibly versatile space-savers, just about any food retailer can entertain the idea of adding cooking capabilities to the kitchen. Rapid heating and recovery are perfect for on-demand food service. The manual unit allows for the full spectrum of temperature versatility, while the digital model simplifies temperature control for more inexperienced staff.

	Model #	Description	Size (WxDxH)	Volts	Watts	Amps
ŝ	GS1005	Digital, 13"	18" x 15" x 7 ³ / ₄ "	120	1500	12.5
}	GS1010*	Manual w/Timer, 17"	235/8" x 191/2" x 101/4"	120	1700	14.2



G





induction | kitchen essentials

kitchen essentials



suggested uses

Great for ice cream shops, kiosks, delis or concession stands—especially those that see heavy traffic. Also great for food-court operations that use scoops to serve potato, macaroni and other cold salads and slaws.







suggested uses

Designed to quickly and effectively remove grease and baked-on carbon from griddle surfaces.



Spade Well

Features a continuous flow of water to maintain optimum cleanliness of your ice cream spades and scoops for better food quality. No more flavor transfer and no more cross-contamination that increases your food-safety risks. Wells are available in a variety of sizes—each one designed with wide compartments that allow for easy access to and removal of the spades during rush times. Versatile mounting capabilities and optional left-or right-side spigot orientation adapt to your kitchen. Units are easy to turn off, drain and disassemble for cleaning, and they all meet NSF approval.

Model #	Description	Size (WxDxH)
77316-7A	Spade Well	$7" \times 6^{1}/4" \times 5^{7}/8"$
77316-10A	Spade Well	$10^{3}/8$ " x $6^{1}/2$ " x $5^{7}/8$ "
77316-13A	Spade Well	$12^{3}/_{4}$ " x $6^{3}/_{4}$ " x $5^{7}/_{8}$ "
77316-19	Spade Well	$20^{5}/8$ " x $6^{1}/8$ " x $7^{7}/8$ "
77350	Spade Well, 10" Divider	
77353	Spade Well, 13" Divider	
77324	Spade Well, 19" Divider	
77358-19*	Installation Kit	





Butter Spreader

This is the easiest and most efficient way to spread butter! Roller design promotes even, consistent application on all sorts of menu items, for economical portion control and best food flavor. Holds up to one pound of butter.

Model #	Description	Volts	Watts	Amps	
8150-RS	Butter Spreader	_	_	_	
8150-RS1* Butter Spreader, Heated		120	24	0.2	
220-Volt mode	l also available. Call for details.				



Easy Grill Scraper™

Our unique scraper design has a special, ergonomic shape that puts more pressure on the blade for better results. Constructed of heavy-duty cast aluminum with a heat-treated spring steel blade. Replacement blades fit most other brands.







From the World to Your Countertop

Searching Far and Wide to Meet Your Needs

Foodservice operators everywhere know they can always turn to Nemco for smart, reliable food equipment, designed to meet their most unique menu challenges.

Introducing Global Solutions—your connection to an even bigger world of ideas in countertop food equipment. With the growing Global Solutions line, you have an even faster, more efficient pathway to finding the right product for your needs, and the assurance of knowing you still have the reliable Nemco name to back it up.

Journeyman™ ECONOMY FOOD PREP EQUIPMENT LINE



CHOPPERS

Chopper — Make quick work of onions, peppers, potatoes and all sorts of other staple produce items with this super-simple chopper. Just bring the weighted handle down in one stroke and, then, keep the veggies coming. Features an aluminum body with nonskid rubber feet for stability.

GS4150-A 1/4" Chopper GS4150-B 3/8" Chopper



Lettuce Chopper — Turn an entire iceberg head into a crispy-fresh pile of lettuce with one motion. Cut a case of cored heads in just three minutes. Features an aluminum body with nonskid rubber feet for stability.

GS4200 1 x 1" Lettuce Chopper GS4200-C 1/2" x 1/2" Lettuce Chopper



Wall-Mount Chopper — Save time and space with this convenient model that stays up off the counter. Features an ergonomic handle with the built-in leverage to easily cut through raw potatoes, onions and other tough produce. Made of aluminum.

GS4450-A 1/4" Wall-Mount Chopper GS4450-B 3/8" Wall-Mount Chopper





Tomato Slicer — One stroke is all it takes to turn a whole tomato into multiple slices with perfectly uniform thickness for consistent portion control and minimal waste. Made of aluminum with a low base and nonskid feet for stability.

GS4100-A 3/16" Tomato Slicer GS4100-B 1/4" Tomato Slicer



Onion Slicer — Slicing even the toughest onions is easy, thanks to an ergonomically designed handle that uses leverage. Your motion is effortless, while the pusher block does all the work. Made of aluminum with a wide base and nonskid feet for stability.

GS4250-B 1/4" Onion Slicer



Rotary Slicer — Use just one tool to slice all sorts of fruits and vegetables in a wide range of thicknesses. Simply adjust the blades to the size you need, from 1/8" to 1/2". Bolt the base to the counter for stability. Then, turn an ergonomic screw to remove the slicer for easy cleaning. Made of aluminum.

GS4400 Adjustable Rotary Slicer







Wedge Cutter

Forget using a knife. Create perfect citrus, tomato and other fruit and veggie wedges with one quick top-down.

GS4560-6 6-pc Wedge Cutter GS4560-8 8-pc Wedge Cutter





Grill Scraper

Make quick work of cleaning your griddle tops with this aluminum-cast tool that transfers user motion right to the point of attack. Turning a couple of wing nuts is all it takes to remove and replace the scraper blade.

GS4350 Grill Scraper





Cheese Cutter

Turning a bulk cheese block into a pile of uniform slices, sticks or cubes takes only seconds with this easy-to-use device. Adjust for $^3/\epsilon$ " or $^3/\epsilon$ " sizes. Made of aluminum.

GS4300-B Cheese Cutter





MODEL NUMBER INDEX

Model #	Page	Model #	Page	Model #	Page	Model #	Page
CC-32S	33	536-4	11, 13	6150-24-SL-240 .	52	6151-60-D-208	53
CC-34	33	566-1	9	6150-36	52	6151-60-D-240	53
GS1005		566-2	9	6150-36-208		6151-72	53
GS1010	98	566-3	9	6150-36-240		6151-72-208	53
GS1105-17		567-1		6150-36-CP		6151-72-240	
GS1105-28	98	567-2		6150-36-D	52	6151-72-CP	53
GS1110-17	98	6000A-1	50	6150-36-D-208	52	6152-24	55
GS1110-28	98	6000A-1A	50	6150-36-D-240	52	6155-24	54
GS1115		6000A-2		6150-36-DL		6155-24-208	
GS1120		6000A-2B		6150-36-DL-208.		6155-24-240	
GS1125		6000A-2TP		6150-36-DL-240.		6155-24-D	
GS1130		6000A-3		6150-36-SL		6155-24-D-208	
GS1200		6002	·· · ·	6150-36-SL-208 .		6155-24-D-240	
GS1300-24		6003		6150-36-SL-240 .		6155-24-DL	
GS1300-24S		6004-1		6150-48		6155-24-DL-208	
GS1400-16		6004-2		6150-48-208		6155-24-DL-240	
GS1400-16-2		6004-4		6150-48-240		6155-24-SL	
GS1400-25		6006-2		6150-48-CP		6155-24-SL-208	
GS1400-25-2		6006-3		6150-48-D-208		6155-24-SL-240	
GS1405	=	6006-4	···	6150-48-D-240		6155-36	
GS1410		6006-5		6150-48-DL-208.		6155-36-208	
GS1415		6006-6	·· · ·	6150-48-DL-240.		6155-36-240	
GS1504		6006-7		6150-48-SL		6155-36-D	
GS1504-C GS1504-P		6006-8		6150-48-SL-208 .		6155-36-D-208	
		6008-2		6150-48-SL-240 .		6155-36-D-240	
GS1506-P		6008-3 6008-4		6150-60		6155-36-DL	
GS1508 GS1508-C		6008-5		6150-60-208 6150-60-240		6155-36-DL-208	
GS1508-P		6008-6		6150-60-CP		6155-36-DL-240 6155-36-SL	
GS1516		6008-7		6150-60-CF		6155-36-SL-208	
GS1516-C		6008-8		6150-60-D-240		6155-36-SL-240	
GS1550		6009-2		6150-60-DL-208.		6155-48	
GS1555		6009-3		6150-60-DL-240.		6155-48-208	
GS1560		6009-4		6150-60-SL		6155-48-240	
GS4100-A		6009-5		6150-60-SL-208 .		6155-48-D-208	
GS4100-B		6009-6		6150-60-SL-240 .		6155-48-D-240	
GS4150-A		6015		6150-72		6155-48-DL-208	
GS4150-B		6015-DP		6150-72-208		6155-48-DL-240	
GS4200		6016		6150-72-240		6155-48-SL	
GS4200-C		6055A		6150-72-CP		6155-48-SL-208	
GS4250-B		6055A-43		6150-72-D-208		6155-48-SL-240	
GS4300-B		6055A-CW		6150-72-D-240		6155-60	
GS4350		6060A	59	6150-72-DL-208.	52	6155-60-208	54
GS4400	102	6100A	57	6150-72-DL-240.	52	6155-60-240	54
GS4450-A	102	6100A-ICL	57	6150-72-SL	52	6155-60-D-208	54
GS4450-B	102	6101A	57	6151-24	53	6155-60-D-240	54
GS4500	103	6101A-ICL	57	6151-24-208	53	6155-60-DL-208	54
GS4560-6	103	6102A	57	6151-24-240	53	6155-60-DL-240	54
GS4560-8		6102A-ICL	57	6151-24-CP	53	6155-60-SL	54
RG-50	33	6103A	57	6151-24-D	53	6155-60-SL-208	54
RG-50S		6103A-ICL	57	6151-24-D-208	53	6155-60-SL-240	54
VCB-32		6110A	57	6151-24-D-240	53	6155-72	54
428-4	19, 23	6110A-ICL	57	6151-36	53	6155-72-208	54
428-6	,	6120A	57	6151-36-208	53	6155-72-240	54
428-8	,	6120A-ICL		6151-36-240		6155-72-D-208	
428-10		6120A-CW		6151-36-CP		6155-72-DL-208	
436-1		6120A-CW-ICL		6151-36-D		6155-72-DL-240	
436-2	•	6150-24		6151-36-D-208		6155-72-SL	
436-3	•	6150-24-208		6151-36-D-240		6155-72-SL-208	
436-4		6150-24-240		6151-48		6155-72-SL-240	
466-1		6150-24-CP		6151-48-208		6200	
466-2		6150-24-D		6151-48-240		6205	
466-3		6150-24-D-208		6151-48-CP		6205-240	
466-7		6150-24-D-240		6151-48-D-208		6210	
490-8		6150-24-DL		6151-48-D-240		6215 6301-18	
536-1 536-1T	, ,	6150-24-DL-208. 6150-24-DL-240.		6151-60 6151-60-208		6301-18 6301-18-SS	
536-2		6150-24-DL-240.		6151-60-240		6301-24	
536-3	, ,	6150-24-SL-208.		6151-60-CP		6301-24-SS	
JUU U	, 10, 10	0100-24-0L-200.	02	0101-00-0F		JUU 1-24-JU	/ U

6001-000-000-000-000-000-000-000-000-000	Model #	Page	Model #	Page	Model #	Page	Model #	Page
6001-03.05.5.76 6001-03.05.5.76 6001-03.05.5.76 6001-04.5.77 6001-05.05.5.77 6001-04.5.77 6001-04.5.77 6001-05.05.5.77 6001-05.0	6301-30	78	6550-DW	44	8045N-CGD	43	9120-C	63
6201-18-5S - 71 6201-18-5S - 72 6201-18-5S - 7	6301-30-SS	78	6600	58				
6201-48 78 6800. 88 80 80455W 57 8132 64 67 6201-60 78 6800. 88 80 80455W 57 8132 1. 64 6201-60 78 6800. 88 80455W 57 8132 1. 64 6201-60 78 6800. 88 80455W 57 8132 1. 64 6201-60 78 6800. 89 80 8045W 57 8132 1. 64 6201-60 78 6800. 89 6800	6301-36	78	6625B	58	8045N-SBB	42	9122-1	63
6203 - 62.5 - 78	6301-36-SS	78	6655	71	8045SXN	37	9130	64
6301-04.05.78 6805.80 6801-02.55.78 68010-02.55.78	6301-48	78	6760-240	96	8045SXW	37	9130-C	64
6001-05 78	6301-48-SS	78	6800	86	8045SXW-SLT	38	9131-1	64
801-72- 73 6000-200-60- 47 6001-72- 73 6001-72- 73 6001-72- 73 6010-1-60 6000-200-60- 77 6000-200-60- 77 6000-200-60- 73 6010-20- 60 6000-200-60- 77 6000-200-60- 77 6000-200-60- 77 6000-200-60- 77 6000-200-60- 77 6000-200-60- 77 6000-200-60- 77 6000-200-20- 70 6010-20- 70 6010-20- 70 6010-20- 70 6010-20- 70 6010-20- 70 6010-20- 70 6011-20-	6301-60	78	6805	86	8045W	37	9132-1	64
8031-7.2.5	6301-60-SS	78	6900A-208-FF	47	8045W-BW	41	10950	89
\$70.1	6301-72	78	6900A-208-GF	47	8045W-CGD	43	10951	89
\$3101-24	6301-72-SS	78	6900A-208-GG	47	8045W-SBB	42	10961	89
6310-224 09	6310-1	60			8045W-SLT	38	10962	89
6310 2-240 00 70004 92 86905X-RC 39 10986 89 6310-3340 60 70004-240 92 86955-804 41 10867 89 6310-3340 60 70004-240 92 8695-580 41 10867 89 6311-340 60 70004-240 92 8695-580 42 10866 89 6311-340 60 70004-2540 92 8695-580 42 10866 89 6311-340 60 70004-2520 92 8695-580 42 10866 89 6403 69 70004-2520 92 8695-580 43 10866 89 6405 69 70004-2520 92 8695-580 43 10866 89 6405 69 70004-2520 92 8695-580 41 10970 89 6405 75 70004-5240 92 8695-580 41 10970 90 6420 67 70004-2520 92 8075-99 41 10970 90 6420 67 70004-2620 92 8075-890 41 10970 90 6420 67 70004-260 83 8075-560 43 4770-560 30 6422 67 70004-260 83 8075-580 42 4770-50 30 6422 67 70004-1000 83 8075-580 42 55002 15 70004-1000 83 8075-580 42 55002 15 70004-1000 83 8075-580 42 55002 15 70004-1000 83 8075-580 40					8045WGD	43		
6310-3-2-0 0 77000-4-2 92 80505X-SIFC. 38 103962 89 6310-3-240 0 77000-4-240 92 8055-588 -4 1 103962 89 6311-1-240 00 77000-4-2540 92 8055-588 -4 2 103962 89 89 6311-1-240 00 77000-4-2540 92 8055-588 -4 2 103962 89 89 6311-1-240 00 77000-4-2540 92 8055-588 -4 2 103970 89 89 6403 99 8075-589 99	6310-2	60	6900A-240-GG	47				
6311-3-240 60 70000-3-240 92 8055-894 41 10967 88 6311-1-240 60 70000-3-240 92 8055-588 42 10989 88 6311-1-240 60 70000-3-252 8055-588 42 10989 88 6405 75 75 70004-5 92 8055-588 42 10989 88 6405 75 75 70004-5 92 8055-581 41 10978 80 6405 75 75 70004-5 92 8055-594 41 10978 80 6405 75 75 70004-5 92 8055-594 41 10978 80 6420 77 72024 93 8055-60 43 47709 93 90 7041 93 80 7041								
6311-1-240 00 7000-2240 92 8865-SBB 42 10988 89 80 11-6240 80 7000-5259 92 8655CD 42 10980 89 89 80 7000-52540 92 8655CSLT 39 10970 89 86 8405 75 75 75 75 75 75 80 75 8								
8311-2-200 60 70004-75 97 8855KS 17 38 10080 89 4405 75 10070 89 64405 75 75 70004-5 92 8855KS 17 38 10070 89 6440 75 75 70004-5 92 8875-B9U 41 10078 99 6440 75 77 70004 83 8875-B9U 41 10078 99 6440 77 70004 83 8875-COD 43 47709 90 6420 67 77 70004 83 8875-B9U 41 10078 90 6420 67 77 70004-20 83 8875-COD 43 47709 90 90 6420 67 7 70004-20 83 8875-COD 43 47709 90 90 6420 67 7 70004-20 93 8875-B9U 41 10078 90 90 6420 67 7 70004-20 93 8875-B9U 41 10078 90 90 90 90 90 90 90 90 90 90 90 90 90								
6405								
6400								
6410								
6420. 67 70204 33 8075CB 43 47709 30 6422. 67 70204-1 33 8076CB .43 47709 40 .30 6422. 67 70204-208 .33 8076SD .43 47709 40 .30 6422. 67 70204-208 .33 8076SD .43 47709 40 .30 6422. 67 70204-128 .39 8075SW-RC .38 50023 .15, 17 6025 .67 70204-15 .39 8075SW-RC .38 50022 .23 60425 .67 70204-15 .39 8075SW-RC .38 50022 .23 60420 .77 70204-15 .39 8075SW-RC .38 50022 .23 60420 .77 70204-15 .39 8075SW-RC .38 50022 .23 60420 .69 70204-14 .39 3 8150 RS .10 55000AN .15 6450 .69 70204-14 .39 3 8150 RS .10 5500AN .15 6450 .69 70204-14 .39 3 8130 60 .42 5500AN .15 6450 .69 70204-14 .39 3 8130 60 .42 5500AN .15 6451 .69 70204-14 .39 3 8230 60 .42 5500AN .15 6451 .69 70204-14 .39 3 8230 60 .42 5500AN .17 6451 .69 70204-14 .39 3 8230 60 .42 5500AN .17 6451 .69 70204-14 .39 3 8230 60 .42 5500AN .17 6451 .69 70204-14 .39 3 8230 60 .42 5500AN .17 6451 .69 70204-14 .39 3 8230 60 .42 5500AN .17 6451 .69 70204-14 .39 4 8230 58 8 .42 5500AN .15 6452 .69 7030A .2 94 8230 58 8 .42 5500AN .15 6452 .69 7030A .2 94 8230 58 8 .42 5500AN .17 6452 .69 7030A .2 94 8230 58 8 .42 5500AN .40 7.15 6452 .69 7030A .2 94 8230 58 8 .42 5500AN .40 7.15 6452 .69 7030A .2 94 8230 58 8 .42 5500AN .40 7.15 6452 .75 7050 .94 8250 60 .43 5510 60 .23 5500AN .40 7.15 6452 .75 7050 .94 8250 60 .43 5510 60 .23								
6421 67 70204-1. 33 80756D .42 47709-90. 30 6422 67 70204-208 33 80755B8 .42 55002. 15 6422. 67 70204-1208 39 80755N8 .42 55002. 15 56022. 15 6422. 67 70204-1208 39 80755N4-0. 38 6507. 15 6424. 67 70204-1208 39 80755N4-0. 38 6507. 15 6424. 67 70204-1208 39 80755N4-0. 38 55022 .22 6440. 77 70204-15208 39 8150-0. 100 55500AN. 15 6500AN. 15 6500AN. 15 650AN. 15 650AN								
6422 67 70204-208 33 8075588 42 55002 15 6428 67 70204-240 33 80755W-RC 38 55017 15 6428 67 70204-1208 39 80755W-RC 38 55017 15 6428 67 70204-1208 39 80755W-RC 38 55017 15 6429 67 70204-15 39 80755W-RC 38 55027 15 6429 67 70204-15 39 80755W-RC 38 55027 23 6450 69 70204-145 93 8150-R5 100 55050A/W 15 6450 69 70204-145 93 8150-R5 100 55050A/W 15 6500A/W 15 6500A/W.								
## 6424								
6426. 67 70204-1208. 33 80755W-RC. 38 55017. 15 6426. 67 70204-15. 33 80755W-SIFRC. 38 55022A. 23 6440								
### 5600								
6450								
6450_ 69 70204_1AS_ 93 8150-6S1_100 55050AHCT_ 15 6450_4 69 7020A_S208_ 93 8230-C0_ 43 55050AHCT_ 15 6450_4 69 7020A_S208_ 93 8230-C0_ 43 55050AHC_ 17 6451_2 69 7020A_S208_ 93 8230-C0_ 43 55050AHC_ 17 6451_2 69 7020A_S208_ 93 8230-C0_ 43 55050AHC_ 15 6452_ 69 7020A_S208_ 94 8220_SB8_ 42 55050AHC_ 15 6452_ 69 7020A_S208_ 94 8220_SB8_ 42 55050AHC_ 15 6452_ 69 7020A_S208_ 94 8220_SB8_ 42 55050AHC_ 15 6452_ 77 67 7020A_S208_ 94 8220_SS1_ 39 55050AHC_ 15 6453_ 69 7020A_S208_ 94 8220_SS1_ 39 55050AHC_ 15 6453_ 69 7020A_S208_ 94 8220_SS1_ 39 55050AHC_ 15 6453_ 69 7020A_S208_ 94 8220_SS1_ 39 55050AHC_ 15 6454_ 75 7020A_S208_ 94 8220_SC0_ 43 55125_ 23 6454_ 75 7050_ 94 8220_SC0_ 43 55125_ 23 6454_ 75 7050_ 94 8220_SC0_ 43 55125_ 23 6455_ 75 8010_ 37 825050C0_ 43 55135_ 77 6455_ 2_ 75 8010_S7_ 24 8250_SS1_ 39 55150C_C_ 15 6457_ 72 8010SX_ 37 8250_SS1_ 39 55150C_C_ 15 6457_ 71 8018_SU 14 820_SS1_ 39 55150C_C_ 15 6470_ 71 8018_SU 14 820_SS1_ 14 820								
6450-4								
6451. 69								
6451.2								
6452								
6452								
6454								
6454			7030A-240	94				
6455	6454	75	7030A-2240	94	8250GD	43	55100E	23
6455-2	6454-2	75	7050	94	8250-CGD	43	55125	23
6457	6455	75	8010	37			55135	7
6460	6455-2	75	8010GD	43	8250-SBB	42	55150C-C	15
6470	6457	72	8010SX	37	8250-SLT	39	55150C-CT	15
6475			8018	37	8250SX-SLT	39	55150C-G	15
6480-18	6470	71			8300	44		
6480-18-B .74 8018SX .37 8527SX-SLT-BW40 55150C-WR15 6480-18S .74 8018GD .43 8536SX-BW40 5517B	6475	71	8018-CGD	43	8301	44	55150C-R	15
6480-18S 74 8018GD 43 8536SX-BW 40 55178 7 6480-18S-B. 74 8024-BW 42 8536SX-SLT-BW 40 55179 7 6480-24 74 8027-SB 41 8845SW-W-W-W 40 55200AN 7 6480-24-B. 74 8027-CGD 43 8575SX-BW 40 55200AN B 7 6480-24S-B. 74 8027-SBB 42 8630SX-BW 40 55200AN 2 7 6480-24S-B. 74 8027-SB 42 8630SX-BW 40 55200AN 2 7 6480-30. 74 8027-SLT 38 8650SX-BW 40 55200AN 4 7 6480-30. 74 8027-SLT 38 8650SX-BW 40 55200AN 4 7 6480-30-B. 74 8027SX 37 8650SX-SLT-BW 40 55200AN 6 7 6480-30-B. 74 8027SX 37 8650SX-SLT-BW 40 55200AN 6 7 6480-30-B. 74 8027SX 37 8650SX-SLT-BW 40 55200AN 6 7 6480-30-B. 74 8027SX 37 8650SX-SLT-BW 40 55200AN 6 7 6480-30-B. 74 8027SX 37 8650SX-SLT-BW 40 55200AN 6 7 6480-30-B. 74 8027SX-SLT 38 9010 83 5525-6 25 6480-36-B. 74 8033-BW 41 9015 83 55250A 25 6480-36-B. 74 8033-SB 42 9020 83 55257 7 6480-36-B. 74 8033-SB 42 9020 83 55263-2 7 6510A-2D4 80 8036-B. 37 9020-3 83 55263-2 7 6510A-2D4 80 8036-B. 37 9020-3 83 55263-2 7 6510A-2D4 80 8036-BW 41 9100 63 55300A 26 6510A-2D7P 80 8036-GD 43 9100-1 63 55300A 26 6510A-2D7P 80 8036-SB 42 9101 63 55300A 26 6510A-2D7P 80 8036-SB 42 9101 63 55300A 26 6510A-STP 80 8036-SX 37 9110-C 63 55300A 25								
6480-18S-B								
6480-24 .74 8027 .37 8545SXW-BW .40 55200AN .7 6480-24-B .74 8027-BW .41 8545SXW-SLT-BW .40 55200AN-B .7 6480-24-S .74 8027-CGD .43 8575SX-BW .40 55200AN-1 .7 6480-24-S .74 8027-SBB .42 8630SX-BW .40 55200AN-2 .7 6480-30 .74 8027-SLT .38 8650SX-BW .40 55200AN-4 .7 6480-30-B .74 8027-SLT .38 8650SX-BW .40 55200AN-6 .7 6480-30-S .74 8027-SLT .38 9650SX-SLT-BW .40 55200AN-6 .7 6480-30-S .74 8027-SX .37 8650SX-SLT-BW .40 55200AN-8 .7 6480-30-S .74 8027-SX-SLT .38 9010 .83 552256 .25 6480-36-B .74 8033-SBB .41 .9015 .83 55250A .25 6480-36-B .74 8033-SBB .42 .9020<								
6480-24-B								
6480-24S 74 8027-CGD 43 8575SX-BW 40 55200AN-1 7 6480-24S-B 74 8027-SBB 42 8630SX-BW 40 55200AN-2 7 6480-30 74 8027-SLT 38 8650SX-BW 40 55200AN-4 .7 6480-30-B 74 8027GD 43 8630SX-SLT-BW 40 55200AN-6 .7 6480-30-S 74 8027SX 37 8650SX-SLT-BW 40 55200AN-8 .7 6480-30-S 74 8027SX-SLT 38 9010 83 55250-A .25 6480-30-B 74 8023-BW 41 9015 83 55250-A .25 6480-36-B 74 8033-BW 41 9015 83 55257 .7 6480-36-B 74 8033-SBB 42 9020 83 55263-1 .7 6480-36-B 74 8033-SB 42 9020 83 55263-1 .7 6480-36-B 74 8033-SB 42 9020 83 55263-2 .7 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
6480-24S-B. 74 8027-SBB. 42 8630SX-BW. 40 55200AN-2 7 6480-30 74 8027-SLT 38 8650SX-BW. 40 55200AN-4 7 6480-30-B. 74 8027GD 43 8630SX-SLT-BW. 40 55200AN-6 7 6480-30S. 74 8027SX 37 8650SX-SLT-BW. 40 55200AN-8 7 6480-30S-B. 74 8027SX-SLT 38 9010 83 55225-6 25 6480-36 74 8033-BW 41 9015 83 55250A 25 6480-36-B. 74 8033-SBB 42 9020 83 55257 7 6480-36S-B. 74 8033GD 43 9020-1 83 55263-1 7 6480-36S-B. 74 8033SX-SLT 38 9020-2 83 55263-2 7 6510A-2D4 80 8036 37 9020-3 83 55263-2 7 6510A-2D4 80 8036-BW 41 9100 63 55300A 26 6510A-2D7 80 8036-SBB 42 9101 63 55300A-1 26 6510A-2D7 80 8036-SBB 42 9101 63 55300A-2 26 6510A-2D7 80 8036-SBB 42 9101 63 55300A-2 26 6510A-2D7 80 8036-SBB 42 9101 63 55300A-2 26 6510-D7 80 8036-SBB 42 9101 63 55300A-2 26 6510-D7 80 8036-SLT 38 9101-1 63 55350A 26 6510-A-ST 80 8036SX 37 9110-C 63 55350-P.3 26 6510A-ST 80 8036SX 37 9110-C 63 55359-P.3 26								
6480-30								
6480-30-B .74 8027GD .43 8630SX-SLT-BW. 40 55200AN-6 .7 6480-30S .74 8027SX .37 8650SX-SLT-BW. 40 55200AN-8 .7 6480-30S-B .74 8027SX-SLT .38 9010 .83 5525-6 .25 6480-36 .74 8033-BW .41 9015 .83 55250A .25 6480-36-B .74 8033-SBB .42 9020 .83 55257 .7 6480-36S .74 8033GD .43 9020-1 .83 55263-1 .7 6480-36S-B .74 8033GD .43 9020-1 .83 55263-1 .7 6480-36S-B .74 8033GD .43 9020-1 .83 55263-1 .7 6480-36S-B .74 8033GD .43 9020-2 .83 55263-1 .7 6480-36S-B .74 8033SX-SLT .38 9020-2 .83 55263-2 .7 6510A-2DP .80 8036-BW .41 .9100 .63 55300A .26 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
6480-30S 74 8027SX 37 8650SX-SLT-BW. 40 55200AN-8 7 6480-30S-B 74 8027SX-SLT 38 9010 83 55225-6 25 6480-36 74 8033-BW 41 9015 83 55250A 25 6480-36-B 74 8033-SBB 42 9020 83 55257 7 6480-36S 74 8033GD 43 9020-1 83 55263-1 7 6480-36S-B 74 8033SX-SLT 38 9020-2 83 55263-2 7 6510A-2D4 80 8036 37 9020-3 83 55263-2 7 6510A-2D4P 80 8036-BW 41 9100 63 55300A 26 6510A-2D7 80 8036-BW 41 9100 63 55300A-1 26 6510A-2D7P 80 8036-SBB 42 9101 63 55300A-2 26 6510-D7P 80 8036-SBB 42 9101 63 55300A-516D 26 6510A-S7 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
6480-30S-B74 8027SX-SLT38 901083 55225-625 6480-36								
6480-36								
6480-36-B 74 8033-SBB 42 9020 83 55257 7 6480-36S 74 8033GD 43 9020-1 83 55263-1 7 6480-36S-B 74 8033SX-SLT 38 9020-2 83 55263-2 7 6510A-2D4 80 8036 37 9020-3 83 5528B 26 6510A-2D4P 80 8036-BW 41 9100 63 55300A 26 6510A-2D7 80 8036-CGD 43 9100-1 63 55300A-1 26 6510A-2D7P 80 8036-SBB 42 9101 63 55300A-2 26 6510-D7 80 8036-SLT 38 9101-1 63 55300A-516D 26 6510-D7P 80 8036GD 43 9110 63 55350A 26 6510A-S7 80 8036SX 37 9110-C 63 55350A 26 6510A-S7P 80 8036SX 37 9110-C 63 55400 25 6510-T4								
6480-36S .74 8033GD .43 9020-1 .83 55263-1 .7 6480-36S-B .74 8033SX-SLT .38 9020-2 .83 55263-2 .7 6510A-2D4 .80 8036 .37 9020-3 .83 5528B .26 6510A-2D4P .80 8036-BW .41 .9100 .63 55300A .26 6510A-2D7 .80 8036-CGD .43 .9100-1 .63 .55300A-1 .26 6510A-2D7P .80 8036-SBB .42 .9101 .63 .55300A-2 .26 6510-D7 .80 8036-SLT .38 .9101-1 .63 .55300A-2 .26 6510-D7P .80 8036GD .43 .9110 .63 .55300A-516D .26 6510A-S7 .80 8036SX .37 .9110-C .63 .55359-P3 .26 6510A-S7P .80 8036SX-SLT .38 .9110-1 .63 .55400 .25 6510-T4 .80 8045N .37 .9110-1 .63 .5								
6480-36S-B74 8033SX-SLT 38 9020-2 83 55263-2 7 6510A-2D480 803637 9020-3 83 5528826 6510A-2D4P80 8036-BW41 910063 55300A26 6510A-2D780 8036-CGD43 9100-163 55300A-126 6510A-2D7P80 8036-SBB42 910163 55300A-226 6510-D780 8036-SLT38 9101-163 55300A-516D26 6510-D7P80 8036GD43 911063 55350A26 6510A-S780 8036SX37 9110-C63 55359-P326 6510A-S7P80 8036SX-SLT38 9110-163 55400								
6510A-2D4 80 8036 37 9020-3 83 55288 26 6510A-2D4P 80 8036-BW 41 9100 63 55300A 26 6510A-2D7 80 8036-CGD 43 9100-1 63 55300A-1 26 6510A-2D7P 80 8036-SBB 42 9101 63 55300A-2 26 6510-D7 80 8036-SLT 38 9101-1 63 55300A-516D 26 6510-D7P 80 8036GD 43 9110 63 55350A 26 6510A-S7 80 8036SX 37 9110-C 63 55359-P3 26 6510A-S7P 80 8036SX-SLT 38 9110-1 63 55359-P3 26 6510A-S7P 80 8036SX-SLT 38 9110-1 63 55400 25 6510-T4 80 8045N 37 9111-1 63 55417 13								
6510A-2D4P 80 8036-BW 41 9100 63 55300A 26 6510A-2D7 80 8036-CGD 43 9100-1 63 55300A-1 26 6510A-2D7P 80 8036-SBB 42 9101 63 55300A-2 26 6510-D7 80 8036-SLT 38 9101-1 63 55300A-516D 26 6510-D7P 80 8036GD 43 9110 63 55350A 26 6510A-S7 80 8036SX 37 9110-C 63 55359-P3 26 6510A-S7P 80 8036SX-SLT 38 9110-1 63 55400 25 6510-T4 80 8045N 37 9111-1 63 55417 13								
6510A-2D780 8036-CGD43 9100-163 55300A-126 6510A-2D7P80 8036-SBB42 910163 55300A-226 6510-D780 8036-SLT38 9101-163 55300A-516D26 6510-D7P80 8036GD43 911063 55350A26 6510A-S780 8036SX37 9110-C63 55359-P326 6510A-S7P80 8036SX-SLT38 9110-163 5540025 6510-T480 8045N37 9111-163 5541713								
6510A-2D7P 80 8036-SBB 42 9101 63 55300A-2 26 6510-D7 80 8036-SLT 38 9101-1 63 55300A-516D 26 6510-D7P 80 8036GD 43 9110 63 55350A 26 6510A-S7 80 8036SX 37 9110-C 63 55359-P3 26 6510A-S7P 80 8036SX-SLT 38 9110-1 63 55400 25 6510-T4 80 8045N 37 9111-1 63 55417 13								
6510-D7P80 8036GD43 911063 55350A26 6510A-S780 8036SX37 9110-C63 55359-P326 6510A-S7P80 8036SX-SLT38 9110-163 5540025 6510-T480 8045N37 9111-163 5541713	6510A-2D7P	80			9101	63	55300A-2	26
6510A-S780 8036SX37 9110-C63 55359-P326 6510A-S7P80 8036SX-SLT38 9110-163 5540025 6510-T480 8045N37 9111-163 5541713	6510-D7	80	8036-SLT	38	9101-1	63	55300A-516D	26
6510A-S7P80 8036SX-SLT38 9110-163 5540025 6510-T480 8045N37 9111-163 5541713	6510-D7P	80	8036GD	43	9110	63	55350A	26
6510-T480 8045N37 9111-163 5541713	6510A-S7	80	8036SX	37	9110-C	63	55359-P3	26
	6510A-S7P	80						
6510-T4P80 8045N-BW41 912063 5541813								
	6510-T4P	80	8045N-BW	41	9120	63	55418	13


MODEL NUMBER INDEX

Model #	Page	Model #	Page	Model #	Page	Model #	Page
55424-1	,	55821		56500-3		68393-4	
55424-2	,	55822		56500-4		68393-7	
55424-3	13, 19	55825	100	56500-5		68591	.56
55424-4	13	55850	28	56500-6	13	68592	.56
55450-1	19	55855	96	56500-7	13	68773-18	74
55450-2	19	55868	27	56511	28	68773-24	.74
55450-3	19	55868-SC	27	56511-1	28	68773-30	74
55450-4	19	55868-1	27	56539-1	21	68773-36	74
55450-6	19	55868-1SC	27	56539-2	21	69007	.55
55450-8	19	55868-2	27	56539-3	21	69008	.55
55470	21	55868-2SC		56539-4	21	69007-2	.55
55470-2BR	21	55874-2	9	56600-1	9	69008-2	.55
55470-6		55876		56600-2		69582	
55485		55876-CT		56600-3		69599	
55485-2		55876-WCT		56610-1		77005	
55485-6		55876-WR		56610-2		77006	
55491		55882		56727-4W		77241	
55492		55900		56727-6W		77316-7A	
55492-WR		55923		56727-8W		77316-10A	
55492-CT		55924		56750-1		77316-13A	
55492-WCT		55925	·· ·	56750-2		77316-19	
55495		55950		56750-3		77324	
55495-5		55957		56750-4		77350	
55500-1	··· - ·	55975	·· - *	57417-1		77353	
55500-2		55975 55975-SC		57417-3		77358-19	
55500-2 55500-3		55975-3C55975-1		57417-3 57418-2		80435-27	
55500-3 55500-4				57418-4			
		55975-1SC 55975-1SC-CHT		57418-4 57424-1-PBG		80435-36 80435-45N	
55511 55513		55975-13C-CH1		57424-1-PBG 57424-2-PBG		80435-45W	
55513 55526				57424-2-PBG 57424-3-PBG			
		55975-2SC				80435-75	
55527		55977		57424-4-PBG		80440-30 80440-50	
55550-4 55550-6		55991		57424-5-PBG			
		56004		57424-6-PBG		80650	
55550-8		56022A		57424-7-PBG		88100-CB-1	
55550-10 55550-8C		56029 56050-1		<i>57500-1 57500-2</i>		88100-CB-2	
						88100-CB-3	
55600-1		56050-2		57500-3		88101-CB-1	
55600-2		56050-3	=.	57500-4		88101-CB-2	
55600-3		56075		57500-5		88101-CB-2P	
55600-7		56075-12		57500-6		88250-CB	
55607-6		56275-1		57500-7		263104	
55641		56275-2		57727-4W		263138	
55650		56275-3		57727-6W		283214	
55650-1		56275-4		57727-8W		283291	
55650-2		56417		66088-2		283292	
55650-3		56418		66088-8		283294	
55650-4		56424-1		66088-10		283296	
55650-5		56424-1T		66089	/	283364	
55650-6		56424A-1MK		66091		283375	
55650-CS		56424-2		66092		283383	
55700		56424A-2MK		66093		283385	
55702		56424-3		66095		285001	
55702-1		56424A-3MK		66096		285002	
55707-1-C		56424-4		66097		285004	
55707-1-CT		56424-5		66099		285006	
55707-1-G		56424-6		66103		285040	
55707-1-R		56424-7		66104		285044	
55707-1-WCT		56450A-1		66118		285045	
55707-1-WR		56450A-1D		6678559, 69,		285048	
55711		56450A-2		66795		285050	
55727-4		56450A-2D		67339		285057	33
55727-6	•	56450A-3		67409			
55727-8		56450A-3D		67410			
55775		56455-1		67411			
55775-1		56455-2		67412			
55800		56455-3		67413			
55816		56500-1		67763			
55816-2	15, 17	56500-2	13	67860	56		



nemco | FOOD prep EQUIPMENT

GETPREPPED for Anythung



with the one name that offers more food-prep solutions than any other



prep I hot dog Warmin merchandising cooking, toasting, baking induction I kitchen essentials dispensin

Nemoc, BusBoy, CanPRO, Easy Apple Core, "Easy Cheese Blocker," Easy Cheese," Easy Chicken Slicer," Easy Chopper," Easy Chopper 2," Easy Howering Onion" Cutter, Easy FryKutter, "Easy Gright Scraper," Easy Suicer, "Easy Scooper," Easy Slicer," Easy Tomato Slicer, "Easy Scooper," Easy Slicer," Easy Tomato Slicer, "Easy Tomato Slicer," Easy Tomato Slicer, "Easy Tomato Slicer," Easy Tomato Slicer, "Easy Tomato Slicer," Boller Grill, Monster Airmatic FryKutter," Monster FryKutter," ProShucker Power Shell Separator," Ribbon Fry, "ShrimpPrep RG-2001" Shrimp Cutter and Deveiner, "ShrimpPre 2000" Power Shrimp Cutter & Deveiner," and Spiral Fry" are trademarks of Nemco Food Equipment Ltd.

Robot Coupe is a trademark of Robot Coupe USA. SilverStone is a registered trademark of E. I. du Pont de Nemours & Co., Inc.







nemco | FOOD | EQUIPMENT

Physical Address: Corporate HQ 301 Meuse Argonne I Hicksville, OH 43526 800.782.6761 • 419.542.7751 • f: 419.542.6690

Mailing Address:

PO Box 305 | Hicksville, OH 43526

Nemco West Distribution Center/Test Kitchen 4300 E Magnolia Street I Phoenix, AZ 85034

NemcoFoodEquip.com